

Page 1 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

	1 - - - - - - - - - -		PRODUCT											
1.1	Product Name:	PERMA B		UID GUI	N BLU	Ε		STRIB			lnite 5	7/1	08 Tho	Esplanade
1.2	Chemical Name:	Acid Mixture						Bav W				-1/4		Espianaue
1.3	Synonyms:	13125, 13132						@steve						
1.4	Trade Names:	Perma Blue [®] Li	auid Gun Blue					gency (linas		
1.5	Product Use:	Metal Finishing						303 30						
1.6	Distributor's Name:	Birchwood Cas					0274	905 70	8					
1.7	Distributor's Address:		Drive, New Hope	e MN 5542	7 USA		Poiso	n Conti	rol 080	0 POI	SON (0800 7	64 766)
1.8	Emergency Phone:		1 (800) 424-93			887 O	Pois	on Co	ntrol	Cent	tor +1	(866)	291-7	152
1.9	Business Phone / Fax:	+1 (952) 388-67			0) 021-0	007 01	1 013		/////	ocin		(000)	201-1	102
			2 447	ZARDS I		FIC	ΔΤΙΟ	N						
2.1	Hazard Identification:	This product is	classified as a						doods	s acco	ordina	to the	classific	cation criteria
		[NOHSC: 1088 DANGER! TO TOXIC TO AQ	(2004)] and AD XIC IF SWALL UATIC LIFE WI Acute ToxOral	OG Code (Au: L OWED OR TH LONG LA	stralia). INHALEI ASTING E	D. CA	USES TS.	SEVE	RE SI	KIN B	URNS			
2.2	Label Elements:		<u>ents</u> (H): H301-	-								ore ek	in	
		Precautionary Statements (P): P260 – Do not breathe dust or mist. P261 – Avoid breathing fume/vapors. P264 – Wash with soap and water thoroughly after handling. P270 – Do not eat, drink, or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area. P273 – Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 – Call a Poison Center +1-866-291-7152/doctor. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatments see this container label and section 4 First Aid of this SDS. P330 – Rinse mouth. P363 – Wash contaminated clothing before reuse. P391 – Collect spillage. P403+P233 – Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). In the event of an exposure or medical inquiry involving this product, please contact a physician or local p center, who may seek advice from the U.S. manufacturer, and show them this SDS.												
2.3	Other Warnings:	closed. P405 storage or disp In the event of center, who ma	t spillage. P40 – Store locked oosal facility (TSI an exposure or	3+P233 – S up. P501 – DF). r medical inq rom the U.S.	tore in a Dispose uiry involv	well-ve of cont	entilate ents/c s prod	ed plac ontaine	e. Ke er to a ease c	licens	ntaine sed tre	r tightl atmen	y t,	Il poison contro
2.3	Other Warnings:	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF	t spillage. P40 – Store locked posal facility (TSI an exposure or ay seek advice fr	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN .	tore in a Dispose uiry involv manufact	well-ve of cont ving thi urer, a	entilate ents/c s prod nd sho	ed plac ontaine luct, ple w then	e. Ke er to a ease c n this S IATI	eep co licens contact SDS.	ntaine sed tre t a phy	r tightl atmen ysician	y t, or loca	I poison contr
2.3	Other Warnings:	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN .	tore in a Dispose uiry involv manufact	well-ve of cont ving thi urer, an ENT	entilate ents/c s prod nd sho	ed plac ontaine luct, pla ow then ORN	e. Ke er to a ease c n this \$ IATI EXPOS	eep co licens contact SDS.	ntaine sed tre t a phy	r tightl atmen ysician	y t, or loca	I poison contr
2.3	Other Warnings:	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN .	tore in a Dispose uiry involv manufact	well-ve of cont /ing thi urer, ar ENT	entilate ents/c s prod nd sho INF	ed plac ontaine luct, pla ow then ORN	e. Ke er to a ease c n this S IATI EXPOSINO	eep co licens contact SDS.	ntaine sed tre t a phy	r tightl atmen ysician I AIR (mg OSHA	y t, or loca	I poison contr
2.3	Other Warnings:	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN .	tore in a Dispose uiry involv manufact	well-ve of cont ving thi urer, an ENT	entilate ents/c s prod nd sho INF	ed plac ontaine luct, ple w then ORN	e. Ke er to a ease c n this \$ IATI EXPOS NOHSC ppm	contact SDS.	ntaine sed tre t a phy	r tightl atmen ysician	y t, or loca	I poison contr
	Other Warnings:	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN .	tore in a Dispose uiry involv manufact	well-ve of cont /ing thi urer, ar ENT	entilate ents/c s prod nd sho INF	ed plac ontaine luct, pla ow then ORN	e. Ke er to a ease c n this S IATI EXPOSINO	eep co licens contact SDS.	ntaine sed tre t a phy	r tightl atmen ysician I AIR (mg OSHA	y t, or loca	I poison contr
HEMI	CAL NAME(S)	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No.	13+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN.	itore in a Dispose uiry involv manufact	well-ve of cont ving thi urer, at ENT ACC PP	entilate ents/c s prod nd sho INF	ed plac ontaine luct, pla ww then ORN ES-	e. Ke er to a ease on this \$ IATI EXPOS NOHSC ppm ES-	eep co licens contact SDS. ON SURE LI	Intaine sed tre t a phy	r tightl atmen /sician I AIR (mş OSHA ppm	y t, or loca	
HEMI	CAL NAME(S)	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No.	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC	itore in a Dispose uiry involve manufact	well-ve of cont /ing thi urer, an ENT ACC PP TLV	entilate ents/c s prod nd sho INF 3IH m STEL	ed plac ontaine luct, ple w then ORN	e. Ke er to a ease on this S IATI EXPOSING NOHSC ppm ES- STEL	eep co licens contact SDS. ON SURE LI ES- PEAK	ntaine sed tre t a phy IMITS IN PEL	r tightl atmen ysician AIR (mg OSHA OSHA ppm STEL	y t, or loca g/m ³) IDLH	
HEM VATE	ICAL NAME(S)	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC	itore in a Dispose uiry involv manufact	well-ve of cont /ing thi urer, an ENT ACC PP TLV	entilate ents/c s prod nd sho INF 3IH m STEL	ed plac ontaine luct, ple w then ORN	e. Ke er to a ease on this S IATI EXPOSING NOHSC ppm ES- STEL	eep co licens contact SDS. ON SURE LI ES- PEAK	ntaine sed tre t a phy IMITS IN PEL	r tightl atmen ysician AIR (mg OSHA OSHA ppm STEL	y t, or loca g/m ³) IDLH	
HEM VATE	CAL NAME(S)	CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA H302	I3+P233 – S up. P501 – DF). redical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA	tore in a Dispose uiry involve manufact	well-veo of cont ving thi urer, an ENT Acco PP TLV NE (1)	INF BIH STEL NA	ed plac ontaine luct, plo w then ORN ES- TWA NF	e. Keer to a ease of this \$ IATI EXPOSING PPM ES- STEL NF	eep co licens contact SDS. ON SURE L ES- PEAK NF	IMITS IN PEL (1)	r tightl atmen ysician I AIR (mg OSHA OSHA Ppm STEL NE NE	y t, or loca g/m ³) IDLH NE 1000	
HEM VATE	ICAL NAME(S) ER RIC SULFATE	CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA I; H302 VS7175000	13+P233 – S up. P501 – DF). redical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA 231-974-7	tore in a Dispose uiry involve manufact	well-veo of cont ving thi urer, an ENT Acco PP TLV NE (1) (0.2)	INF STEL NA	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease on this \$ IATI EXPOSING NOHSC PPM ES- STEL NF	eep co licens contact SDS. ON SURE L ES- PEAK NF	IMITS IN PEL NE	r tightl atmen ysician I AIR (mg OSHA ppm STEL NE	y t, or loca g/m ³) IDLH NE	
HEM VATE	ICAL NAME(S)	Closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; A	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 I NA I H302 VS7175000 Cute Tox. 3; Aquat	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA 231-974-7 tic Acute 1; Aq	tore in a Dispose uiry involve manufact BREDI 60-100 5-10 1-5 uatic Chror	well-ve of cont ving thi urer, an ENT Acc pp TLV NE (1) (0.2) nic; H30	INF NA NA 1, H331	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease con this S IATI EXPOSING NOHSC PPM ES- STEL NF NF NF NF	eep co licens contact SDS. ON SURE L ES- PEAK NF NF	IMITS IN PEL (1) (0.2)	r tightl atmen ysician ysician OSHA ppm STEL NE NA NA	y or loca g/m ³) IDLH NE 1000 NA	
HEM VATE CUPR	ICAL NAME(S) ER RIC SULFATE	Closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; A 7697-37-2	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA I; H302 VS7175000 zute Tox. 3; Aquat QU5775000	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA 231-974-7 tic Acute 1; Aq 231-974-2	tore in a Dispose uiry involve manufact	well-veo of cont ving thi urer, an ENT Acco PP TLV NE (1) (0.2)	INF STEL NA	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease on this \$ IATI EXPOSING NOHSC PPM ES- STEL NF	eep co licens contact SDS. ON SURE L ES- PEAK NF	IMITS IN PEL (1)	r tightl atmen ysician I AIR (mg OSHA OSHA Ppm STEL NE NE	y t, or loca g/m ³) IDLH NE 1000	
HEM VATE CUPR	ICAL NAME(S) ER RIC SULFATE NIOUS ACID	Closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; A 7697-37-2	t spillage. P40 – Store locked local facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 I NA I H302 VS7175000 Cute Tox. 3; Aquat	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA 231-974-7 tic Acute 1; Aq 231-974-2	tore in a Dispose uiry involve manufact BREDI 60-100 5-10 1-5 uatic Chror	well-ve of cont ving thi urer, an ENT Acc pp TLV NE (1) (0.2) nic; H30	INF NA NA 1, H331	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease con this S IATI EXPOSING NOHSC PPM ES- STEL NF NF NF NF	eep co licens contact SDS. ON SURE L ES- PEAK NF NF	IMITS IN PEL (1) (0.2)	r tightl atmen ysician ysician OSHA ppm STEL NE NA NA	y or loca g/m ³) IDLH NE 1000 NA	
HEM /ATE UPR ELE	ICAL NAME(S) ER RIC SULFATE NIOUS ACID	Closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; A 7697-37-2	t spillage. P40 - Store locked losal facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA I H302 VS7175000 Cute Tox. 3; Aquat QU5775000 Corr. 1A; H272, H	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN . DN & INC EINECS No. 231-791-2 NA 231-974-7 tic Acute 1; Aq 231-974-7 tic Acute 1; Aq 231-714-2 1314	tore in a Dispose uiry involve manufact SREDI 60-100 5-10 1-5 uatic Chror 1-3	well-veo of cont ving thi urer, an ENT Acco pp TLV NE (1) (0.2) nic; H30 2	INF STEL NA NA NA NA	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease con this S IATI EXPOSING NOHSC PPM ES- STEL NF NF NF NF	eep co licens contact SDS. ON SURE L ES- PEAK NF NF	IMITS IN PEL (1) (0.2)	r tightl atmen ysician ysician OSHA ppm STEL NE NA NA	y or loca g/m ³) IDLH NE 1000 NA	
HEM /ATE UPR ELE	ICAL NAME(S) ER RIC SULFATE NIOUS ACID	Closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; A 7697-37-2	t spillage. P40 - Store locked losal facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA I H302 VS7175000 Cute Tox. 3; Aquat QU5775000 Corr. 1A; H272, H	I3+P233 – S up. P501 – DF). r medical inq rom the U.S. HILDREN. DN & INC EINECS No. 231-791-2 NA 231-974-7 tic Acute 1; Aq 231-974-2	tore in a Dispose uiry involve manufact SREDI 60-100 5-10 1-5 uatic Chror 1-3	well-veo of cont ving thi urer, an ENT Acco pp TLV NE (1) (0.2) nic; H30 2	INF STEL NA NA NA NA	ed plac ontaine luct, plo w then ORN ES- TWA NF NF	e. Keer to a ease con this S IATI EXPOSING NOHSC PPM ES- STEL NF NF NF NF	eep co licens contact SDS. ON SURE L ES- PEAK NF NF	IMITS IN PEL (1) (0.2)	r tightl atmen ysician ysician OSHA ppm STEL NE NA NA	y or loca g/m ³) IDLH NE 1000 NA	
HEMI /ATE UPR ELE	ICAL NAME(S) ER RIC SULFATE NIOUS ACID	closed. P405 storage or disp In the event of center, who ma KEEP OUT OF 3. CO CAS No. 7732-18-5 7758-99-8 Acute Toxicity 4 7783-00-8 Acute Tox. 3; Au 7697-37-2 Ox. Liq. 3; Skin 0x. Liq. 3; Skin CO Eyes: If ho us Skin: Re the ha	t spillage. P40 - Store locked losal facility (TSI an exposure or ay seek advice fr REACH OF CH MPOSITIC RTECS No. ZC0110000 NA I H302 VS7175000 Cute Tox. 3; Aquat QU5775000 Corr. 1A; H272, H	INTERPOSE INTERO	itore in a Dispose wiry involved manufact GREDI 60-100 5-10 1-5 uatic Chror 1-3 D ME a. Contac gency tele boccurs spor ush eyes re comple ergency re g and was itact a phy	well-veo of cont ving thi urer, an ENT ACC PP TLV NE (1) (0.2) nic; H30 (1) (0.2) nic; H30 (2) XSUF t Poisc ephone ontaneo thorougete flus pom inm h affec /sician	INF INF INF NE NA NA NA NA NA NA NA NA NA NA	ed plac ontained luct, ple w then ORN ES- TWA NF (0.2) , H400, 2 (0.2) , H400, 1 (0.2) , H400, (0.2) , H400, (0.2) (0.2	e. Keer to a ease on this S IATI EXPOSION NF NF NF NF NF NF NF H410 4 enter -4 assist ious a eyes of th soal Do no	eep co licens contact SDS. SDS.	IMITS IN PEL NE (1) (0.2) 2 6) 291 and in lowered ts of w becom water. r conta	r tightl atment ysician ysician <u>AIR (mg</u> OSHA <u>ppm</u> <u>STEL</u> NE NA NA NA NA NA	y t, or loca g/m ³) IDLH NE 1000 NA 25 or the ons. S vard) to or at lea llen dur comfort ed cloth	OTHER OTHER nearest Poise seek immedia reduce the ri ast 15 minute ing or followin persists and/ ing until after



Page 2 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

		4. FIRST AID MEASURES – cont'd		
4.2	Effects of Exposure:	Eyes: Severe or permanent eye damage.		
		Skin: Burns upon direct contact.		
		Ingestion: Severe burns of mouth, throat, stomach.		
		Inhalation: Severe irritation or burns in respiratory tract and mucous mer	nbranes. Possible lung damage.	
4.3	Symptoms of Overexposure:	Eves: Redness, burning, irritation, and swelling around eves		
		Skin: Redness, burning, itching, rash, blistering of skin.		
		Ingestion: Nausea, vomiting, severe abdominal pain.		
4.4	Acute Health Effects:	Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous m May be harmful if inhaled. Material is extremely destructive to the t		Innor
		respiratory tract. May be harmful if swallowed. Causes burns. May be har		hhei
4.5 4.6	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.		
4.0	Target Organs: Medical Conditions	Eyes, Skin, Nervous System, Kidneys, Liver, Respiratory System		
4.7	Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function	HEALTH	3
		may be more susceptible to the effects of this substance.	FLAMMABILITY	0
			PHYSICAL HAZARDS	2
			PROTECTIVE EQUIPMENT	н
			EYES SKIN LUNGS	1
4.8	Notes to Physician:	This product contains Selenious Acid and is potentially fatal if ingester		ission
		should be considered in asymptomatic or minimally symptomatic patient		
		edema and multi-organ failure may occur. 24/7 medical toxicology consult	ation is available at +1 (855) 281-1742.	
		5. FIREFIGHTING MEASURES		
5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which with air. May intensity fire; oxidizer.	can form explosive mixtures	
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.		
		approved or equivalent self-contained breathing apparatus (SCBA) and p as for surrounding materials. Hazardous decomposition products degradation may produce oxides of carbon, phosphorous, selenium ar and/or derivatives. Fire should be fought from a safe distance. Keep co the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, o or any natural waterway.	may be released. Thermal nd/or nitrogen, hydrocarbons ontainers cool until well after protect personal. Fight fire	2
		6. ACCIDENTAL RELEASE MEASURE	ES	
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanur		ective
		Equipment (PPE). Use safety glasses or safety goggles and face shield;		
		apron, boots, etc.) to prevent skin contact.		
		Small Spills: Wear appropriate protective equipment including gloves and		stible,
		inert material such as vermiculite or sand to soak up the product and place	e into a container for later disposal.	
		Largo Spille: Koop incompatible materials (o.g. organics such as oil) av		n cnill
		Large Spills: Keep incompatible materials (e.g., organics such as oil) aw	ay from spill. Stay upwind and away from	
		or release. Isolate immediate hazard area and keep unauthorized person	vay from spill. Stay upwind and away from nel out of area. Stop spill or release if it c	an be
			vay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ng respiratory protection as conditions wa	an be arrant.
		or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir	vay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ng respiratory protection as conditions wa	an be arrant.
		or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters.	vay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ng respiratory protection as conditions wa tainer. Use absorbent to pick up residue.	an be arrant.
		or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATI	vay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ag respiratory protection as conditions wa tainer. Use absorbent to pick up residue.	an be arrant. Avoid
7.1	Work & Hygiene Practices:	or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters.	vay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ag respiratory protection as conditions wa tainer. Use absorbent to pick up residue. ION ve equipment when handling product. Kee roduct. Wash thoroughly after handling. D	an be arrant. Avoid ep out
7.1	Work & Hygiene Practices: Storage & Handling:	or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATI Avoid breathing mists or spray. Avoid eye and skin contact. Wear protecti of the reach of children. Do not eat, drink or smoke when handling this pr expose to heat and flame. Use only in ventilated areas. Keep out of the	Aay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ag respiratory protection as conditions wa tainer. Use absorbent to pick up residue. ION ve equipment when handling product. Kee roduct. Wash thoroughly after handling. D e reach of children. Immediately clean-up st ventilation, fans) away from heat and en not in use. Avoid temperatures above	an be arrant. Avoid ep out o not p and direct
		or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includir Recover as much free liquid as possible and collect in acid-resistant con discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATI Avoid breathing mists or spray. Avoid eye and skin contact. Wear protecti of the reach of children. Do not eat, drink or smoke when handling this pr expose to heat and flame. Use only in ventilated areas. Keep out of the decontaminate any spills or residues. Use and store in a cool, dry, well-ventilated location (e.g., local exhaus sunlight. Store in acid-resistant containers. Keep containers covered when	Aay from spill. Stay upwind and away from anel out of area. Stop spill or release if it c ag respiratory protection as conditions wa tainer. Use absorbent to pick up residue. ION ve equipment when handling product. Kee roduct. Wash thoroughly after handling. D e reach of children. Immediately clean-up st ventilation, fans) away from heat and en not in use. Avoid temperatures above	an be arrant. Avoid ep out o not p and direct



Page 3 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
		SELENIOUS ACID	(0.2)	NA	(0.2)	NF	NF	(0.2)	NA	NA	
		NITRIC ACID	2	4	2	4	NF	2	NA	25	
		CUPRIC PHOSPHATE	1	NA	NF	NF	NF	1	NA	NA	
.2	Ventilation & Engineering Controls:	Use local or general exhaust whandling of this product. Ensure station).									
3.3	Respiratory Protection:	In instances where vapors or s use only protection authorized CAS Standard Z94.4-93 and Australia.	by 29 CFR §	1910.13	4, applicat	ole U.S. S	State regul	lations, o	r the Can	adian 🛛	
3.4	Eye Protection:	Safety glasses with side shield shield is also recommended.	ls must be ı	used whe	en handling	g or usin	g this pro	duct. A	protective	face	96
3.5	Hand Protection:	Wear protective, chemical-resis	stant gloves	(e.g., ne	oprene) wł	nen using	or handli	ng this pr	oduct.	(
3.6	Body Protection:	A chemical resistant apron an product.	d/or protect	ive cloth	ing are re	commen	ded when	handling	g or using	g this	
		9. PHYSICA	L & CH	EMIC		OPER	TIES				
9.1	Appearance:	Blue liquid									
9.2	Odor:	Odorless									
9.3	Odor Threshold:	0.29 to 0.98 ppm (Nitric Acid)									
9.4	pH:	1.0									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling	> 100 °C (> 212 °F)									
9.7	Range: Flashpoint:	NA									
.8	Upper/Lower Flammability										
	Limits:	NA									
.9	Vapor Pressure:	NA									
.10	Vapor Density:	< 1.0 (Air = 1.0)									
.11	Relative Density:	1.034									
0.12	Solubility:	Soluble									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	Evaporation Rate: < 1.0 (ethylo	ether = 1.0)								
		10. ST		Y & R	EACTI	VITY					
10.1	Stability:	Stable at normal temperatures.									
10.2	Hazardous Decomposition Products:	Reaction with organics and s decomposition may produce se						nides an	d hydrog	en seler	ide. Therr
10.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Excessive heat, shock, friction.									
10.5	Incompatible Substances:	Cyanides, water-reactive subs materials, most metals.	tances, stro	ng redu	cing agent	s, chlorir	nated clea	aners or	sanitizers	, combu	stible orga
		11. TOXIC	COLOGI	CAL	NFOR	MATIC	ON				
11.1	Routes of Entry:	Inhalation: YES			Absorption:	YES			Ingesti	on: YES	
11.2	Toxicity Data:	Cupric Sulfate: LD ₅₀ (oral, rat)	= 300 mg/kg	1							
1.3	Acute Toxicity:	See Section 4.4									
11.4	Chronic Toxicity:	See Section 4.5									
11.5	Suspected Carcinogen:	Components in this product are					able as to	its carcin	ogenicity	to humar	าร).
11.6	Reproductive Toxicity:	This product is not reported to									
	Mutagenicity: Embryotoxicity:	This product is not reported to									
	Embryoloxicity:	This product is not reported to									
	Teratogenicity:	This product is not reported to	nalica tarata	aphic off	orte in hur	nane					



Page 4 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

11.7	Irritancy of Product:	11. TOXICOLOGICAL INFORMATION – cont'd See Section 4.2	
11.8	Biological Exposure Indices:	NE	
11.9	Physician Recommendations:	Treat symptomatically.	
11.0	Thysiolan Recommendations.	Treat symptomatically.	
		12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability:	There are no specific data available for this product.	
12.2	Effects on Plants & Animals:	There are no specific data available for this product.	
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. <u>Phosphoric Acid</u> : EC ₅₀ (Daphnia magna, 12h) = 4.6 mg/L	
		13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and ap disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, s federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, sto disposal of hazardous waste must be provided by a licensed facility or waste hauler.	tate, ai
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)	
		14. TRANSPORTATION INFORMATION	
Tho	asic description (ID Number	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive i	nformati
	be required by 49 CFR, IATA	Proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive r /ICAO, IMDG and the CTDGR.	morriali
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY), or CONSUMER COMMODITY, ORM-D (UNTIL 12/31/20)	
14.2	IATA (AIR)*:	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8,II, (IP VOL ≤ 0.1 L LTD QTY)	
4.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)	/
4.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)	
4.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)	
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, II (IP VOL ≤ 1.0 L CANTIDAD LIMITADA ()	
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL \leq 1.0 L , LTD QTY)	
		15. REGULATORY INFORMATION HSR002677	
15.1	SARA Reporting Requirements:	This product contains <u>Nitric Acid</u> , <u>Cupric Sulfate</u> and <u>Selenious Acid</u> , substances subject to SARA Title III, Se reporting requirements.	ction 3
15.2	SARA TPQ:	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity:	Selenious Acid: 10 lbs (4.54 kg); Nitric Acid: 1,000 lbs (454 kg); Cupric Sulfate: 10 lbs (4.54 kg)	
15.5	Other Federal Requirements:	NA	
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects).	R
15.7	State Regulatory Information:	 <u>Selenious Acid</u> is found on the following state criteria lists: Florida Toxic Substances List (FL), Massa Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know I and Wisconsin Hazardous Substances List (WI). <u>Nitric Acid</u> is found on the following state criteria lists: FL, MA, MN, New Jersey Right-to-Know List (NJ), Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florid Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MN), New Jersey Right-to-Know List (DE), Florid Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous List (WI). 	List (P/ PA, a followir da To> ∟ist (M bstance
		This product does not contain any chemicals known to the State of California to cause cancer or	



Page 5 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

		16. OTHER INFORMATION SW revised 07.01.2021
16.1	Other Information:	DANGER! TOXIC IF SWALLOWED OR INHALED. CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Avoid breathing fume/vapors. Wash with soap and water thoroughly after handling. Do not eat, drink, or smoke when using this product. Use only outdoors or in a well- ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a Poison Center +1-866-291-7152/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatments see this container label and section 4 First Aid of this SDS. Rinse mouth. Collect spillage. Store in a well- ventilated place. Keep container tightly closed. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey, LLC knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	Birchwood Casey, LLC 3260 Winpark Drive New Hope, MN 55427 USA Tel: +1 (952) 388-6717 Email: customerservice@birchwoodcasey.com http://www.birchwoodCasey.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 BC-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

SDS Revision Date: 11/29/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:
Autoignition	Minimum temperature required to initiate combustion in air with no other source
Temperature	of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard	EL AN
1	Slight Hazard	FLAN
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	A 10 and
ALK	Alkaline	
COR	Corrosive	/
W	Use No Water	HEAL
OX	Oxidizer]
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
LC 50 Lethal concentration (gases) which kills 50% of the exposed			
ppm Concentration expressed in parts of material per million parts			
TD _{I0} Lowest dose to cause a symptom			
TCLo Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	LD ₁₀ , & LD ₀ or Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC ₀ , LC ₁₀ , & LC ₀			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TLm	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
тс	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٢		1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		٨	\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment