

Page 1 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

	1	-						TION				Jnits 5 – 7 / 408
.1	Product Name:	PERMA	BLUE [®] PAS ⁻	TE GUN	N BLUE				Espla		sale Ltd. t	Jnits 5 - 7 / 408
.2	Chemical Name:	Acid Mixture									lington 60)23
1.3	Synonyms:	13322									holesale.	
.4	Trade Names:	Perma Blue [®] F	Paste Gun Blue								ntact: Ste	eve Collings
1.5	Product Use:	Metal Finishin	g							303 303		
1.6	Distributor's Name:	Birchwood Ca	sey, LLC							905 708		
.7	Distributor's Address:	3260 Winpark	Drive, New Hope,	, MN., 5542	7 USA				Poiso	n Control	0800 PO	ISON (0800 76
1.8	Emergency Phone:	ChemTrec +	1 (800) 424-930	00 / +1 (70	3) 527-38	387 or Poi	son Co	ontrol	Cente	r +1 (866	6) 291-7 [.]	152
1.9	Business Phone / Fax:	+1 (952) 388-0	· · ·		-						,	
			<u> </u>		BENE		~ ~ ~					
2.1	Hazard Identification:	This was doned	2. HAZ	_			-					
		[NOHSC: 108 DANGER! T TOXIC TO AC	is classified as a f 8 (2004)] and ADC OXIC IF SWALLO QUATIC LIFE WIT Acute ToxOral 3	G Code (Aus OWED OR H LONG LA	stralia). INHALED ASTING E). CAUSE FFECTS.	S SEVE	RE SK	in Bui	•		
2.2	Label Elements:	burns and eye <u>Precautionary</u> fume/vapors. drink, or smo P273 – Avoid protection/ fac or doctor/phys for breathing. EYES: Rinse easy to do.	ments (H): H301+I damage. H410 – <u>v Statements</u> (P): P264 – Wash wi ke when using this release to the em- ce protection. P304 P304+P344 P311 – Call a P cautiously with w Continue rinsing. his SDS. P330 –	- Very toxic P260 – Do ith soap and s product. vironment. 01+P310 - II 0 – IF INHA loison Cente vater for sev P321 – Spe	to aquatic o not brea d water th P271 – U P280 - W F SWALLO ALED: Ren er +1-866- veral minu ecific treat	life with lor athe dust of oroughly af se only out ear protecti DWED: Imm nove persor 291-7152/c tes. Remo ments see	ig lasting for mist. ter hand doors of ve glove nediately nediately loctor. loctor. this cont	g effect P261 dling. F r in a w es/ prote y call a n air an P305+F act len: atainer ted clo	s. – Avoi 2270 – rell-ven ective o POISO d keep 2351+P ses, if µ abel ar	d breathi Do not e tilated are lothing/ e N CENTE comfortal 338 – IF present a d sectior	ng at, ea. ye ER ble IN nd a 4	
2.3	Other Warnings:	P391 – Colle closed. P405 storage or dis	ct spillage. P403 5 – Store locked u posal facility (TSD	3+P233 – S ip. P501 – PF).	otore in a Dispose o	well-ventila of contents/	ed plac containe	er to a	icense	d treatme	nt,	
2.3	Other Warnings:	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or ay seek advice fro F REACH OF CHI	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN.	Store in a Dispose o Juiry involv manufactu	well-ventila of contents/ ring this pro urer, and sh	ed plac containe duct, pla ow then	er to a ease co n this S	icenseo ontact a DS.	d treatme	nt,	poison control
2.3	Other Warnings:	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or l ay seek advice fro	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN.	Store in a Dispose o juiry involv manufactu	well-ventila of contents/ ring this pro urer, and sh	ed plac containe duct, pla ow then	er to a ease co n this S	ontact a DS.	d treatme	nt, n or local	poison control
2.3	Other Warnings:	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or ay seek advice fro F REACH OF CHI	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN.	Store in a Dispose o juiry involv manufactu	well-ventila of contents/ ring this pro urer, and sh	ed plac containe duct, pla ow then	er to a ease co n this S	ontact a DS.	d treatme	nt, n or local	poison control
2.3	Other Warnings:	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or ay seek advice fro F REACH OF CHI	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN.	Store in a Dispose o juiry involv manufactu	well-ventila of contents/ ring this pro urer, and sh ENT INF	ed plac containe duct, pla ow then	er to a ease co n this S IATI(EXPOS	ontact a DS.	d treatme i physicia	nt, n or local ng/m³) A	poison control
		P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or in ay seek advice fro F REACH OF CHI	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN. N & INC	Store in a Dispose of manufacto	well-ventila of contents/ urer, and sh ENT INF ACGIH ppm	duct, plac duct, plac ow then	er to a ease con this S MATIO EXPOS NOHSC ppm ES-	icensed ontact a DS. DN JRE LIMI ES-	treatme physicia TS IN AIR (r OSH	nt, n or local ng/m³) A n	·
	Other Warnings:	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or i ay seek advice fro F REACH OF CHI OMPOSITIO	B+P233 – S Ip. P501 – IF). medical inq m the U.S. ILDREN. N & INC INECS No.	Store in a Dispose of manufacture manufacture %	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL	ed plac containe duct, pli ow then FORM	ease con n this S MATIO EXPOS NOHSC ppm ES- STEL	DN DN DN DN DN ES- PEAK	d treatme i physicia TS IN AIR (r OSH PPr PEL STEL	nt, n or local ng/m³) A n	poison control
HEM	ICAL NAME(S)	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or i ay seek advice fro F REACH OF CHI OMPOSITIO	B+P233 – S Ip. P501 – IF). medical inq om the U.S. ILDREN. N & INC	Store in a Dispose of manufacto	well-ventila of contents/ urer, and sh ENT INF ACGIH ppm	duct, plac duct, plac ow then	er to a ease con this S MATIO EXPOS NOHSC ppm ES-	DN DN DN DN DN ES- PEAK	treatme physicia TS IN AIR (r OSH	nt, n or local ng/m³) A n	·
HEM /ATE OLY	IICAL NAME(S) ER 'OXYETHYLENE STEARYL	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or r ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23	B+P233 – S Ip. P501 – IF). medical inq m the U.S. ILDREN. N & INC INECS No.	Store in a Dispose of manufacture manufacture %	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL	ed plac containe duct, pli ow then FORM	ease con n this S MATIO EXPOS NOHSC ppm ES- STEL	DN DN DN DN DN DN DN DR LIMI ES- NF I	d treatme i physicia TS IN AIR (r OSH PPr PEL STEL	nt, n or local ng/m³) A n	·
HEM /ATE OLY /AX	IICAL NAME(S) ER YOXYETHYLENE STEARYL DERIVATIVES	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or r ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8	Store in a Dispose of Manufacture Store in a Store in a Dispose of Manufacture SREDII	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL NE NE	ed plac containe duct, pl ow then FORM ES- TWA NF	er to a ease cc n this S MATIO EXPOS NOHSC ppm ES- STEL NF	DS.	treatme physicia TS IN AIR (i OSH PPT PEL STEL NE NE	nt, n or local	·
HEM /ATE OLY /AX	IICAL NAME(S) ER 'OXYETHYLENE STEARYL	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23 NA 56 NA N 4; H302	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8 IA	Store in a Dispose of manufacture of the second sec	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL NE NE NA NA	ed plac containe duct, pl ow then FORM FORM	er to a ease con this S MATIO EXPOS NOHSC PPM ES- STEL NF	DS.	TS IN AIR (I OSH PPI VE NE NA NA	nt, n or local ng/m³) A n	·
HEM /ATE OLY /AX	IICAL NAME(S) ER YOXYETHYLENE STEARYL DERIVATIVES RIC SULFATE	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8	ct spillage. P403 5 – Store locked u posal facility (TSD of an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23 NA 50 NA 50 NA N 4; H302 VS7175000 23	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8 IA 31-974-7	Store in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this produced urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA	ed plac containe duct, plo ow then FORM FORM NF	er to a ease con this S MATIO EXPOS NOHSC PPM ES- STEL NF NF	Icensed ontact a DS. DN URE LIMI SEAK I NF I	TS IN AIR (I OSH PPI VE NE NA NA	nt, n or local ng/m³) A n	·
HEM /ATE OLY /AX	IICAL NAME(S) ER YOXYETHYLENE STEARYL DERIVATIVES	P391 – Colle closed. P405 storage or dis In the event of center, who meric KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; J	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. El ZC0110000 23 NA 50 NA 50 NA N 4; H302 VS7175000 23 Acute Tox. 3; Aquatic	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8 IA 31-974-7 c Acute 1; Aqu	Store in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this produced urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA	ed plac containe duct, plo ow then FORM FORM NF NF NF	er to a ease con n this S MATIO EXPOS NOHSC PPM ES- STEL NF NF NF NF NF NF	Icensed ontact a DS. DN URE LIMI NF I NF I	TS IN AIR (I OSH PPI VE STEL VA NA (1) NA	nt, n or local ng/m³) A n IDLH NE NA 1000	·
HEM /ATI OLY /AX UPF ELE	IICAL NAME(S) ER YOXYETHYLENE STEARYL DERIVATIVES RIC SULFATE	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; <i>J</i> 7697-37-2	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. El ZC0110000 23 NA 50 NA 50 NA NA 4; H302 VS7175000 23 Acute Tox. 3; Aquatic QU5775000 23	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8 	Store in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this produced urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA	ed plac containe duct, plo ow then FORM FORM NF	er to a ease con this S MATIO EXPOS NOHSC PPM ES- STEL NF NF	Icensed ontact a DS. DN URE LIMI SEAK I NF I	TS IN AIR (r D physicia TS IN AIR (r OSH PPT PEL STEL NE NE NA NA (1) NA	nt, n or local ng/m³) A NE NE NA 1000	·
HEM /ATE OLY /AX ELE	IICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE ENIOUS ACID	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; <i>J</i> 7697-37-2	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. El ZC0110000 23 NA 50 NA 50 NA N 4; H302 VS7175000 23 Acute Tox. 3; Aquatic	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC INECS No. 31-791-2 00-017-8 	Store in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this produced urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA	ed plac containe duct, plo ow then FORM FORM NF NF NF	er to a ease con n this S MATIO EXPOS NOHSC PPM ES- STEL NF NF NF NF NF NF	Icensed ontact a DS. DN URE LIMI NF I NF I	TS IN AIR (I OSH PPI VE STEL VA NA (1) NA	nt, n or local ng/m³) A n IDLH NE NA 1000	·
HEM /ATI OLY /AX UPF ELE	IICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE ENIOUS ACID	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; <i>J</i> 7697-37-2	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or r ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23 NA 50 NA 50 NA 50 NA 50 NA 150 NA 150 N	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC N & INC INECS No. 31-791-2 00-017-8 	Store in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA ic; H301, H33 2 4	ed plac containe duct, plo ow then FORM FORM NF NF NF (0.2) 31, H400, 2	er to a ease con n this S MATIO EXPOS NOHSC PPM ES- STEL NF NF NF NF NF NF	Icensed ontact a DS. DN URE LIMI NF I NF I	TS IN AIR (I OSH PPI VE STEL VA NA (1) NA	nt, n or local ng/m³) A n IDLH NE NA 1000	·
VATE VATE VOLY VAX CUPF EELE	ICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE :NIOUS ACID IC ACID	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; 7697-37-2 Ox. Liq. 3; Ski	ct spillage. P403 5 – Store locked u posal facility (TSD if an exposure or if ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 22 NA 50 NA 50 NA 50 NA 50 NA 50 NA 50 Acute Tox. 3; Aquatic QU5775000 22 n Corr. 1A; H272, H3	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC N & INC INECS No. 31-791-2 00-017-8 IA 31-974-7 2 Acute 1; Aq 31-714-2 314 RST AI	Store in a Dispose of Dispose of manufacture of the second	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEI NA NA (1) NA (0.2) NA ic; H301, H32 2 4	ed plac containe duct, pl ow then FORN FORN NF NF NF (0.2) 11, H400, 2	AF IC A A A A A A A A A A A A A A A A A A	Icensed ontact a DS. DN JRE LIMI NF I NF I NF I	TS IN AIR (r ophysicia TS IN AIR (r OSH PPT PEL STEL NE NE NA NA (1) NA (1) NA (1) NA (2) NA	nt, n or local ng/m ³) A NE NE NA 1000 NA 25	OTHER
VATE VOLY VAX	IICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE ENIOUS ACID	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; A 7697-37-2 Ox. Liq. 3; Ski	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or lay seek advice fro F REACH OF CHI DMPOSITIO MPOSITIO RTECS No. El ZC0110000 23 NA 50 NA 50	B+P233 – S Ip. P501 – F). medical inq om the U.S. ILDREN. N & INC N & INC N & INC INECS No. 31-791-2 00-017-8 00-017-8 14 31-974-7 2 Acute 1; Aq 31-974-7 2 Acute 1; Aq 31-714-2 314 E VOMITIN or local eme n. If vomitir	Store in a Dispose of manufacture in a Dispose of manufacture involvement of the second secon	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL NA NA (1) NA (0.2) NA ic; H301, H33 2 4 SURES ct Poison (C lephone nu spontaneou	A set of the set	AFTIC EXPOS NOHSC PPM ES- STEL NF NF NF NF NF NF H410 4 Center - r assist p victin	Icensed Intact a DS. DN JRE LIMI NF I NF I NF I NF (NF (NF (NF (NF (NF (NF (NF (TS IN AIR (I OSH PPT PEL STEL NA NA (1) NA	nt, n or local ng/m³) A A NE NA NA 1000 NA 25 20 r the i stions. S (forward	OTHER
VATE VATE VOLY VAX CUPF EELE	ICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE :NIOUS ACID IC ACID	P391 – Colle closed. P405 storage or dis In the event of center, who ments KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; 7697-37-2 Ox. Liq. 3; Ski	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or r ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 22 NA 50 NA 50 N	B+P233 – S ip. P501 – ip. P501 – iF). medical inq inte U.S. iLDREN. N & INC intecs no. 31-791-2 00-017-8 iA 31-974-7 c Acute 1; Aqi 31-714-2 iA Start 1; Aqi C Acute 1; Aqi inte eyes, i in the eyes, i open to e	Store in a Dispose of Manufacture in a Dispose of Manufacture involvement of the manufacture	well-ventila of contents/ ring this pro- urer, and sh ENT INI ACGIH ppm TLV STEI NE NE NA NA (1) NA (0.2) NA ic; H301, H33 2 4 SURES ct Poison C lephone nu spontaneou thoroughly mplete flus	ed plac containe duct, pli- ow then FORN FORN NF NF (0.2) 31, H400, 2 Control C mber fo sly, kee with co hing. I	er to a ease con n this S IATIO EXPOS NOHSC ppm ES- STEL NF NF NF H410 4 Center - r assist p victin pious a f the e	Icensed ontact a DS. DN JRE LIMI NF I NF I NF I NF (NF (NF (NF (NF (NF (NF (NF (TS IN AIR (I OSH PPT PEL STEL NE NE NA NA (1) NA	nt, n or local mg/m³) A N NE NA 1000 NA 25 2 or the i ctions. S (forward for at lea	OTHER OTHER
HEM /ATE OLY /AX UPF ELE	ICAL NAME(S) ER 'OXYETHYLENE STEARYL DERIVATIVES RIC SULFATE :NIOUS ACID IC ACID	P391 – Colle closed. P405 storage or dis In the event of center, who m KEEP OUT O 3. CC CAS No. 7732-18-5 9005-00-9 7758-99-8 Acute Toxicity 7783-00-8 Acute Tox. 3; A 7697-37-2 Ox. Liq. 3; Ski	ct spillage. P403 5 – Store locked u posal facility (TSD f an exposure or r ay seek advice fro F REACH OF CHI DMPOSITIO RTECS No. EI ZC0110000 23 NA 50 NA 50 N	B+P233 – S p. P501 – F). medical inq medical inq medical inq medical inq medical inq medical inq medical inq medical inq N & INC N & INC	Store in a Dispose of Dispose of Manufacture (Control of Control o	well-ventila of contents/ ring this pro- urer, and sh ENT INF ACGIH ppm TLV STEL NE NE NA NA (1) NA (0.2) NA ic; H301, H3; 2 4 SURES ict Poison (lephone nu spontaneou thoroughly mplete flus mergency r wash affect htact a phy	ed plac containe duct, ple ow then FORN FORN NF NF (0.2) S1, H400, 2 Control C mber fo sly, kee with co hing. I poom imr ed area	AF in this S AFF in	International and a second a s	TS IN AIR (I PPI PEL STEL NE NE NA NA (1) NA (1) NA (1) NA (2) NA (2) NA (1)	nt, n or local ng/m³) A NA NE NA 1000 NA 25 22 or the i tions. S (forward for at lea come swo	OTHER OTHER



Page 2 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

4.2							
	Effects of Exposure:	Eyes: Severe or permanent eye damage.					
		Skin: Burns upon direct contact.					
		Ingestion: Severe burns of mouth, throat, stomach.					
		Inhalation: Severe irritation or burns in respiratory tract and mucous r	membranes.	Possible lung	g damage.		
4.3	Symptoms of Overexposure:	Eyes: Redness, burning, irritation, and swelling around eyes					
		Skin: Redness, burning, itching, rash, blistering of skin.					
		Ingestion: Nausea, vomiting, severe abdominal pain.					
	Asuta Liesith Effects	Inhalation: Coughing, wheezing, swelling of throat, irritation in mucou					
4.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if swallowed.				upper	
4.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.					
4.6	Target Organs:	Eyes, Skin, Nervous System, Kidneys, Liver, Respiratory System					
4.7	Medical Conditions	Pre-existing dermatitis, other skin conditions, and disorders of the target				3	
	Aggravated by Exposure:	organs (eyes, skin, and respiratory system) or impaired kidney function	FLAMM			0	
		may be more susceptible to the effects of this substance.					
				AL HAZARD		2	
						Н	
			EYES	SKIN	LUNGS		
.8	Notes to Physician:	This product contains <u>Selenious Acid</u> and is potentially fatal if ingesters should be considered in asymptomatic or minimally symptomatic patien edema and multi-organ failure may occur. 24/7 medical toxicology consults of the second symptometry of the second symplectic symp	ts as delaye	ed toxic effects	s including pulr	nonar	
		5. FIREFIGHTING MEASURES					
5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which with air. May intensity fire; oxidizer.	can form e	xplosive mixtu	ires		
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.					
		approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply,					
		degradation may produce oxides of carbon, phosphorous, selenium a and/or derivatives. Fire should be fought from a safe distance. Keep c the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers,	may be re nd/or nitrog ontainers co protect pe	eleased. Theri en, hydrocarbo ool until well a rsonal. Fight	mal ons fter fire	2	
		degradation may produce oxides of carbon, phosphorous, selenium a and/or derivatives. Fire should be fought from a safe distance. Keep c the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway.	may be re nd/or nitrog ontainers co protect per drains, drinl	eleased. Theri en, hydrocarbo ool until well a rsonal. Fight	mal ons fter fire	2	
6.1	Spills	degradation may produce oxides of carbon, phosphorous, selenium and and/or derivatives. Fire should be fought from a safe distance. Keep of the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway.	may be rend/or nitrog ontainers co protect per drains, drini	eleased. Then en, hydrocarbo ool until well a rsonal. Fight king water sup	mal ons fter fire ply,	2	
6.1	Spills:	degradation may produce oxides of carbon, phosphorous, selenium a and/or derivatives. Fire should be fought from a safe distance. Keep c the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway.	may be re nd/or nitrog ontainers co protect per drains, drini ES p must we ; use gloves d protective to a con way from sp nnel out of a ng respirato	eleased. Then en, hydrocarbo pol until well a rsonal. Fight king water sup ar appropriate a and other pro- eyewear. Us tainer for later ill. Stay upwin rea. Stop spil ry protection a	mal ons fter fire ply, Personal Pro otective clothing a non-combu- disposal. d and away fro l or release if it as conditions w	g (e.g., ustible, om spill can be varrant.	
6.1	Spills:	degradation may produce oxides of carbon, phosphorous, selenium al and/or derivatives. Fire should be fought from a safe distance. Keep of the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURI Before cleaning any spill or leak, individuals involved in spill cleanu Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves an inert material such as vermiculite or sand to soak up the product and plac Large Spills: Keep incompatible materials (e.g., organics such as oil) av or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment including Recover as much free liquid as possible and collect in acid-resistant cortication.	may be re nd/or nitrog ontainers co protect per drains, drini ES p must we ; use gloves d protective e into a con way from sp nnel out of a ng respirato ntainer. Use	eleased. Then en, hydrocarbo pol until well a rsonal. Fight king water sup ar appropriate a and other pro- eyewear. Us tainer for later ill. Stay upwin rea. Stop spil ry protection a	mal ons fter fire ply, Personal Pro otective clothing a non-combu- disposal. d and away fro l or release if it as conditions w	g (e.g., ustible, om spill can be varrant.	
6.1	Spills: Work & Hygiene Practices:	degradation may produce oxides of carbon, phosphorous, selenium ai and/or derivatives. Fire should be fought from a safe distance. Keep of the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURI Before cleaning any spill or leak, individuals involved in spill cleanu Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. <u>Small Spills</u> : Wear appropriate protective equipment including gloves an inert material such as vermiculite or sand to soak up the product and plac <u>Large Spills</u> : Keep incompatible materials (e.g., organics such as oil) av or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includi Recover as much free liquid as possible and collect in acid-resistant cor discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMAT Avoid breathing mists or spray. Avoid eye and skin contact. Wear protect of the reach of children. Do not eat, drink or smoke when handling this p expose to heat and flame. Use only in ventilated areas. Keep out of th	may be re nd/or nitrog ontainers co protect per drains, drini ES p must wea ; use gloves d protective e into a com way from sp nnel out of a ng respirato ntainer. Use ION ive equipme roduct. Wa	eleased. Then en, hydrocarbo pol until well a rsonal. Fight king water sup ar appropriate and other pro- eyewear. Us tainer for later ill. Stay upwin rea. Stop spill ry protection a absorbent to p ent when hand sh thoroughly	mal ons fter fire ply, Personal Pro otective clothing as a non-combu- disposal. Ind and away fro l or release if it as conditions w pick up residue	g (e.g., ustible, om spil can be varrant. . Avoic eep ou Do not	
		degradation may produce oxides of carbon, phosphorous, selenium al and/or derivatives. Fire should be fought from a safe distance. Keep or the fire is out. Use water spray to cool fire-exposed surfaces and to upwind. Prevent runoff from fire control or dilution from entering sewers, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURI Before cleaning any spill or leak, individuals involved in spill cleanu Equipment (PPE). Use safety glasses or safety goggles and face shield apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves an inert material such as vermiculite or sand to soak up the product and plact Large Spills: Keep incompatible materials (e.g., organics such as oil) av or release. Isolate immediate hazard area and keep unauthorized person done with minimal risk. Wear appropriate protective equipment includi Recover as much free liquid as possible and collect in acid-resistant cor discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMAT Avoid breathing mists or spray. Avoid eye and skin contact. Wear protect of the reach of children. Do not eat, drink or smoke when handling this p	may be re nd/or nitrog ontainers co protect per drains, drini ES p must we ; use gloves d protective e into a con way from sp nnel out of a ng respirato tainer. Use ION ive equipme roduct. Wa e reach of o	eleased. Then en, hydrocarbo pol until well a rsonal. Fight king water sup ar appropriate s and other pro- tainer for later ill. Stay upwin ry protection a absorbent to p ent when hand sh thoroughly children. Imm n, fans) away se. Avoid tem	mal ons fter fire ply, e Personal Pro- otective clothing a an on-combu- disposal. nd and away fro l or release if it as conditions w pick up residue ling product. Ke after handling. ediately clean- from heat and peratures above	g (e.g., ustible, om spil can be varrant. Avoid Do not up and I direc	



Page 3 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

.1	Exposure Limits:	8. EXPOSURE C		GIH		NOHSC			OSHA		OTHER
. 1	ppm (mg/m ³)					ES-	ES-				UTILK
		CHEMICAL NAME(S)	TLV	STEL	ES-TWA	STEL	PEAK	PEL	STEL	IDLH	
		SELENIOUS ACID	(0.2)	NA 4	(0.2)	NF 4	NF NF	(0.2)	NA NA	NA 25	
		CUPRIC PHOSPHATE	1	4 NA	NF	4 NF	NF	1	NA	NA	
.2	Ventilation & Engineering	Use local or general exha	ust ventilation to					up of va	1		rated from
	Controls:	handling of this product. E station).									
3.3	Respiratory Protection:	use only protection authori	stances where vapors or sprays of this product are generated, and respiratory protection is needed, only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian S Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or								
3.4	Eye Protection:	Safety glasses with side s shield is also recommende		used whe	en handling	g or usin	g this pro	duct. A	protective	e face	86
3.5	Hand Protection:	Wear protective, chemical-	resistant gloves	(e.g., ne	oprene) wł	nen using	g or handlir	ng this pi	roduct.		
3.6	Body Protection:	A chemical resistant apro product.	n and/or protec	tive cloth	ing are re	commen	ded when	handlin	g or usin	g this	
			CAL & CH	EMIC	AL PR	UPER	TIES				
).1	Appearance:	Blue paste									
9.2	Odor:	Odorless									
9.3	Odor Threshold:	NA									
9.4	pH:	1.5									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 212 °F)									
.7	Flashpoint:	148.8 °C (300 °F) OC									
9.8	Upper/Lower Flammability	NA									
9.9	Limits: Vapor Pressure:	NA									
.10	Vapor Density:	< 1.0 (Air = 1.0)									
9.10	Relative Density:	1.011									
).12	Solubility:	Soluble									
9.12	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	NA									
9.17	Other Information:	Evaporation Rate: < 1.0 (E	thyl Ether - 1 0	1							
		10.	STABILIT	Y & R	EACTI	VITY					
10.1	Stability:	Stable at normal temperate								-	
10.2	Hazardous Decomposition Products:	Reaction with organics a decomposition may produc						nides ar	id hydrog	jen sele	nide. Thei
0.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Excessive heat, shock, fric									
10.5	Incompatible Substances:	Cyanides, water-reactive materials, most metals.	substances, str	ong redu	cing agent	s, chlorii	nated clea	aners or	sanıtızers	s, combi	ustible org
			XICOLOG			-	ON				
1.1	Routes of Entry:		/ES		Absorption	YES			Inges	tion: YE	S
1.2	Toxicity Data:	Cupric Sulfate: LD 50 (oral,	, rat) = 300 mg/k	g							
	Acute Toxicity:	See Section 4.4									
	Chronic Toxicity:	See Section 4.5									
11.4		Components in this produc	ct are listed by I/	ARC as G	Froup 3 (No		able as to	its carcir	nogenicity	/ to hum	ans).
11.4 11.5	Suspected Carcinogen:										
11.4 11.5	Reproductive Toxicity:	This product is not reporte	d to cause repro								
11.4 11.5	Reproductive Toxicity: Mutagenicity:	This product is not reporte This product is not reporte	d to cause repro d to produce mu	utagenic e	effects in h	umans.					
11.3 11.4 11.5 11.6	Reproductive Toxicity:	This product is not reporte	d to cause repro d to produce mu d to produce em	utagenic e Ibryotoxic	effects in hi effects in	umans. humans.					



Page 4 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
2.1	Environmental Stability:	There are no specific data available for this product.
2.2	Effects on Plants & Animals:	There are no specific data available for this product.
2.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. <u>Phosphoric Acid</u> : EC ₅₀ (Daphnia magna, 12h) = 4.6 mg/L
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriat disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, an federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage an disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)
		14. TRANSPORTATION INFORMATION
Tha b	asic description (ID Number	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information
		Proper simpling name, nazard class & division, packing group) is snown for each mode of transportation. Additional descriptive information ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY), or CONSUMER COMMODITY, ORM-D (UNTIL 12/31/20)
4.2	IATA (AIR)*:	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8,II, (IP VOL \leq 0.1 L LTD QTY)
4.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)
4.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)
4.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)
4.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, II (IP VOL ≤ 1.0 L CANTIDAD LIMITADA ()
4.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L , LTD QTY)
		15. REGULATORY INFORMATION HSR002677
15.1	SARA Reporting Requirements:	This product contains <u>Nitric Acid</u> , <u>Cupric Sulfate</u> and <u>Selenious Acid</u> , substances subject to SARA Title III, Section 3 reporting requirements.
5.2	SARA TPQ:	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)
5.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
5.4	CERCLA Reportable Quantity:	Selenious Acid: 10 lbs (4.54 kg); Nitric Acid: 1,000 lbs (454 kg); Cupric Sulfate: 10 lbs (4.54 kg)
5.5	Other Federal Requirements:	NA
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects).
15.7	State Regulatory Information:	 <u>Selenious Acid</u> is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachuse Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (P/ and Wisconsin Hazardous Substances List (WI). <u>Nitric Acid</u> is found on the following state criteria lists: FL, MA, MN, New Jersey Right-to-Know List (NJ), PA, a Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the followir state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Tox Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (M Minnesota Hazardous Substances List (MA), New Jersey Right-to-Know List (NJ), New York Hazardous Substance List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (MY), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).



Page 5 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

		16. OTHER IN	SW revised 30.12.2020
16.1	Other Information:	DANGER! TOXIC IF SWALLOWED OR IN TOXIC TO AQUATIC LIFE WITH LONG LAS water thoroughly after handling. Do not eat, or ventilated area. Avoid release to the enviror protection. IF SWALLOWED: Immediately cal to fresh air and keep comfortable for breathin cautiously with water for several minutes. Ren	HALED. CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. VERY STING EFFECTS. Avoid breathing fume/vapors. Wash with soap and lrink, or smoke when using this product. Use only outdoors or in a well- ment. Wear protective gloves/ protective clothing/ eye protection/ face a POISON CENTER or doctor/physician. IF INHALED: Remove person ng. Call a Poison Center +1-866-291-7152/doctor. IF IN EYES: Rinse nove contact lenses, if present and easy to do. Continue rinsing. Specific a 4 First Aid of this SDS. Rinse mouth. Collect spillage. Store in a well- Store locked up.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to government regulations must be reviewed for a LLC knowledge, the information contained her or completeness is not guaranteed and no information contained herein relates only to the	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other pplicability to this product. To the best of ShipMate's & Birchwood Casey, ein is reliable and accurate as of this date; however, accuracy, suitability varranties of any type, either expressed or implied, are provided. The especific product(s). If this product(s) is combined with other materials, all Data may be changed from time to time. Be sure to consult the latest
16.4	Prepared for:	Birchwood Casey, LLC 3260 Winpark Drive New Hope, MN 55427 USA Tel: +1 (952) 388-6717 Email: customerservice@birchwoodcasey.com http://www.birchwoodCasey.com	BIRCHWOOD CASEY ®
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting



Page 6 of 6 BC-004

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.1

NATIONAL FIRE PROTECTION ASSOCIATION: NEPA

SDS Revision Date: 10/25/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
-		
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no			
Tomporatura	of ignition			

Autoignition	Minimum temperature required to initiate combustion in air with no other source
Temperature	of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard			
1	1 Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic	4		
ALK	Alkaline			
COR	Corrosive	/		
W	Use No Water	HEA		
OX	Oxidizer			
TREFOIL	Radioactive			



TOXICOLOGICAL INFORMATION:

LD 50	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD ₁₀ , LD ₁₀ , & LD ₀ or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC ₀ , LC ₁₀ , & LC ₀	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
$\log K_{ow}$ or $\log K_{oc}$	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
тс	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٢		1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class D3 Class E	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		٨	\Diamond			\diamondsuit		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment