BIRCHWOOD CASEY

SAFETY DATA SHEET

Page 1 of 6 **BC-004**

		1.	PRODUC	т & сом	PANY	IDENTIF	ICATION	DISTRIBUT	OR	
1.1	Product Name:	PERMA E					Stev	e's Wholesa	ale Ltd. Units	5 – 7 / 408 The Esp
1.2	Chemical Name:	Acid Mixture			0.	_		nd Bay Welli n@steveswl	ngton 6023	
1.3	Synonyms:	13322, 13325,	SBP2 SBP3						itact: Steve C	ollings
1.4	Trade Names:	Perma Blue [®] P					080	0 303 303		0
1.5	Product Use:	Metal Finishing					027	4 905 708		
1.6	Distributor's Name:	Birchwood Cas					Pois	on Control (1800 POISON	1 (0800 764 766)
1.7	Distributor's Address:	7887 Fuller Ro	ad, Suite #100), Eden Prairie,	MN 5534	4 USA				
1.8	Emergency Phone:	ChemTrec +	1 (800) 424-9	9300 / +1 (70	3) 527-3	387 or Poisc	on Control C	enter +1	(866) 291-	7152
1.9	Business Phone / Fax:	+1 (952) 388-6	5717	•						
			2. H	AZARDS	IDENT	IFICATIC	N			
		classification of DANGER! M. MAY CAUSE LONG LASTIN Hazard Statem Causes severe life with long la Precautionary other ignition materials. P26 handling. P27 in a well-ventil protective clott a POISON CE section 4 First to fresh air a 7152/doctor. I materials to e Keep containe	AY INTENSIF SEVERE SKIN NG EFFECTS. nents (H): H27 e skin burns an asting effects. Statements (P sources. No 61 – Avoid brea 0 – Do not eat ated area. P2 hing/ eye prote SNTER or doct Aid of this SD and keep com P370+P378 – xtinguish. P3 r tightly closed	Y FIRE; OXID BURNS OR E 72 – May inter ad eye damage 9: P210 – Keep smoking. P athing fume/vaj , drink, or smok 73 – Avoid rele tor/physician. 9S. P330 – Rir fortable for br In case of fire: 91 – Collect s I. P405 – Store	IZER. TO EYE DAM nsify fire; . H331 – o away fro 220 Kee pors. P20 ke when u case to th tection. P P321 – S nse mouth Use fire-e pillage.	DXIC IF SWAI AGE. VERY oxidizer. H30 Toxic if inhale m heat, hot si o away from 4 – Wash with sing this produce e environment 301+P310 – 15 pecific treatm 0. P304+P340 P311 – Cal xtinguishing n P403+P233 –	LLOWED. TO TOXIC TO AQ 11 – Toxic if s d H410 – V urfaces, sparks clothing and n soap and wa uct. P271 – U: . P280 - Wea F SWALLOWE ents see this (c 0 – IF INHALE II a Poison C nedia appropri Store in a we	UATIC LIF wallowed. ery toxic to s, open flar other com ter thoroug se only out r protective D: Immedia container la D: Remove enter +1-{ ate for surr	H314 - b aquatic mes and hbustible hly after doors or e gloves/ ately call abel and e person 366-291- rounding ed place.	
2.2	Effects of Exposure:	approved wast								
2.2		<u>Eyes</u> : Skin:	Burns upon d	manent eye da irect contact	inage.					
		Ingestion:	•	of mouth, throa	at, stomad	:h.				
		Inhalation:		on or burns in r			cous membran	es. Possil	ole lung dan	nage.
2.3	Symptoms of Overexposure:	Eyes:		ning, irritation,						-
		<u>Skin</u> :	Redness, bur	ning, itching, ra	ash, bliste	ing of skin.				
		Ingestion:		iting, severe ab						
		Inhalation:	Coughing, wh	eezing, swellin	ig of throa	t, irritation in n	nucous membr	anes, diffic	culty breathi	ng.
2.4	Acute Health Effects:								branes and	upper respirator
2.5	Chronic Health Effects:			owed. Causes			t absorbed three	bugn skin.		
2.5	Target Organs:	May damage t								
2.0		Eyes, skin, nei	rvous system,	kidneys, liver, r	espiratory	system.				
		3 C(ION & ING	GRED			N		
		0.00							AIR (mg/m ³)	
						ACGIH	NOHSC		OSHA	
						ppm	ppm		ppm	
	IICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV STEL		ES- EAK TLV	STEL IDLH	OTHER
		7732-18-5	ZC0110000	231-791-2	60-100	NE NE		NF NE	NE NE	
	ER	1102 10 0	1200110000		100 100					
			NA	500-017-8	10-30	NA NA	NF NF	NF NA	NA NA	
VAT POLY	OXYETHYLENE STEARYL	9005-00-9							1	
VAT POLY VAX	DERIVATIVES		VS7175000	231-974-7	1-5	(0 2) NA	(0.2) NE	NE 1 (0.2)		
VAT POLY VAX		7783-00-8	VS7175000 Acute Tox, 3: Ac	231-974-7 quatic Acute 1: A	1-5 quatic Chro	(0.2) NA nic: H301, H331		NF (0.2)	NA NA	
WATI POLY WAX SELE	DERIVATIVES ENIOUS ACID	7783-00-8		231-974-7 quatic Acute 1; A 231-714-2	-		I, H400, H410	NF (0.2)	NA NA	
WATI POLY WAX SELE	DERIVATIVES	7783-00-8 Acute Tox. 3; 7697-37-2	Acute Tox. 3; Ac	quatic Acute 1; A 231-714-2	quatic Chro	nic; H301, H331	I, H400, H410			
VATI POLY VAX SELE	DERIVATIVES ENIOUS ACID	7783-00-8 Acute Tox. 3; 7697-37-2	Acute Tox. 3; Ac QU5775000	quatic Acute 1; A 231-714-2	quatic Chro	nic; H301, H331	1, H400, H410 2 4			



Page 2 of 6 **BC-004**

	6							-00-
Prep	ared to OSHA, ACC, ANSI,	, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revisio	on: 1.0	SDS Revisio	n Date: 6/	24/2014	
		4. FIRST AID MEA	SUDES					
4	First Aid:			Contor 11 /	000 7150) or the	nooroot	Deia
4.1	FIISLAIU.	Control Center or local emergency te medical attention. If vomiting occurs risk of aspiration. Eyes: If product gets in the eyes, flush eyes	lephone number for spontaneously, ke thoroughly with c	or assistance ep victim's h opious amou	e and instruct lead lowered unts of water f	tions. S (forward) for at lea	eek imr) to redi ast 15 m	nedia uce t ninute
		holding eyelid(s) open to ensure comp use, consult a physician or emergency Skin: Remove contaminated clothing and v	room immediately				-	
		and/or the skin reaction worsens, conta after it has been properly cleaned.		,				0
		Inhalation: Remove victim to fresh air at once. respiration. Seek immediate medical a	ittention.		ii breathing :	stops, p	enonn	
1.2	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and target organs (eyes, skin, and respiratory system) or		HEALTH				3
		function may be more susceptible to the effects of this		FLAMMA				0
					L HAZARDS			2 H
				EYES				п
				EIES	SKIN	LUNGS		
.1	Fire & Explosion Hazards:	5. FIREFIGHTING M						
		Non-flammable. May react with metals to release hyd with air. May intensity fire; oxidizer.	rogen gas, which	can form exp	piosive mixtur	es		
5.2 5.3	Extinguishing Methods: Firefighting Procedures:	Use fire-extinguishing media appropriate for surroundi As with any fire, firefighters should wear appropriate p	•					
		approved or equivalent self-contained breathing app fires as for surrounding materials. Hazardous decor degradation may produce oxides of carbon, phospho and/or derivatives. Fire should be fought from a safe the fire is out. Use water spray to cool fire-exposed upwind. Prevent runoff from fire control or dilution supply, or any natural waterway.	nposition products rous, selenium ar distance. Keep co d surfaces and to	may be released ad/or nitroger ontainers coo protect pers	eased. Therm n, hydrocarbol ol until well aft onal. Fight fi	nal ns ter ire	3	2
		6. ACCIDENTAL RELEAS		2ES				
6.1	Spills:	Before cleaning any spill or leak, individuals invol			or oppropriat	to Doro	anal Dr	otooti
		Equipment (PPE). Use safety glasses or safety gogg apron, boots, etc.) to prevent skin contact. <u>Small Spills</u> : Wear appropriate protective equipment inert material such as verniculite or sand to soak up th	gles and face shie	ld; use glove	es and other p	orotective Jse a no	e clothin on-comb	g (e.
		Large Spills: Keep incompatible materials (e.g., organ release. Isolate immediate hazard area and keep un done with minimal risk. Wear appropriate protective Recover as much free liquid as possible and collect i discharging liquid directly into a sewer or surface water	nics such as oil) aw lauthorized person e equipment includ n acid-resistant co	ay from spill nel out of ar ling respirate	l. Stay upwind rea. Stop spil ory protection	d and aw Il or relea as cond	/ay from ase if it ditions v	can varra
		7. HANDLING & STORAGE		TION				
7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin co of the reach of children. Do not eat, drink or smoke w expose to heat and flame. Use only in ventilated are decontaminate any spills or residues.	ontact. Wear protect when handling this	ctive equipm product. Wa	ash thoroughl	y after h	andling.	Do
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location sunlight. Store in acid-resistant containers. Keep co (120°F). Keep away from incompatible substances (se	ntainers covered w	when not in u	ise. Avoid ter	mperatur	res abov	
7.3	Special Precautions:	Empty containers may retain hazardous product residu	les.					



I

SAFETY DATA SHEET

Page 3 of 6 BC-004

Prepa	red to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 6/24/2014
		8. EXPOSURE CONTROLS & PERSONAL PROTECTION
8.1	Ventilation & Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).
8.2	Respiratory Protection:	In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
8.3	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.
8.4	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product.
8.5	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product.
0.1	A	9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Blue paste
9.2	Odor:	Odorless
9.3 9.4	Odor Threshold: pH:	NA
9.4	Melting Point/Freezing Point:	1.5
9.5	Initial Boiling Point/Boiling	NA
9.0	Range:	> 100 °C (> 212 °F)
9.7	Flashpoint:	148.8 °C (300 °F) OC
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	< 1.0 (air = 1.0)
9.11	Relative Density:	1.011
9.12	Solubility:	Soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl ether = 1.0)
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides.
10.3	Hazardous Polymerization:	

	Classify.	Stable at normal temperatures.				
10.2	Hazardous Decomposition Products:	Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal decomposition may produce selenium, nitrogen, phosphoric and copper oxides.				
10.3	Hazardous Polymerization:	Will not occur.				
10.4	Conditions to Avoid:	Excessive heat, shock, friction.				
10.5						
		11. TOXICOLOGICAL INFORMATION				
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES				
11.2	Toxicity Data:	Cupric Sulfate: LD_{50} (oral, rat) = 300 mg/kg				
11.3	Acute Toxicity:	See Section 2.4				
11.4	Chronic Toxicity:	See Section 2.5				
11.5	Suspected Carcinogen:	Components in this product are listed by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans)				
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.				
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.				
11.7	Irritancy of Product:	See Section 2.3				
11.8	Biological Exposure Indices:	NE				
	1.9 Physician Recommendations: Treat symptomatically.					



Page 4 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2014

		12. ECOLOGICAL INFORMATION
10.1	Environmental Stability	
12.1 12.2	Environmental Stability: Effects on Plants & Animals:	No data available.
12.2	Effects on Aquatic Life:	No data available.
12.5	Ellects on Aquatic Life.	Very toxic to aquatic life with long lasting effects. <u>Phosphoric Acid</u> : EC ₅₀ (Daphnia magna, 12h) = 4.6 mg/L
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate
		disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state,
		and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage
		and disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)
		14. TRANSPORTATION INFORMATION
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
14.1		ACID), 8, II, LTD QTY (IP VOL \leq 1.0 L)
		CONSUMER COMMODITY; EXCEPTED QUANTITY
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
		ACID, 8,II, LTD QTY (IP VOL ≤ 0.1 L)
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
		ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
		EXCEPTED QUANTITY
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
		ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
		ACID), 8, II, LTD QTY (IP VOL \leq 1.0 L)
		EXCEPTED QUANTITY
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO
		NITRICO), 8, II, CANTIDAD LIMITADA (IP VOL ≤ 1.0 L)
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC
		ACID), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
		EXCEPTED QUANTITY
* This	product may also be shipped as a	an Excepted Quantity (Inner Package Volume ≤ 30 mL, Total Quantity ≤ 500 mL per Outer Package)
		15. REGULATORY INFORMATION HSR002634
15.1	SARA Reporting Requirements:	This product contains <u>Nitric Acid</u> , <u>Cupric Sulfate</u> and <u>Selenious Acid</u> , substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)
15.2	Quantity:	
15.3 15.4	TSCA Inventory Status: CERCLA Reportable Quantity	The components of this product are listed on the TSCA Inventory.
13.4	(RQ):	Selenious Acid: 10 lbs (4.54 kg); Nitric Acid: 1,000 lbs (454 kg); Cupric Sulfate: 10 lbs (4.54 kg)
15.5	Other Federal Requirements:	NA
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS
		contains all of the information required by the CPR. The components of this product are listed on
		the DSL/NDSL. None of the components of this product are listed on the Priorities Substances
		List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and
15.7	State Regulatory Information:	Serious Toxic Effects). Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous
13.7	State Regulatory miormation.	Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI).
		<u>Nitric Acid</u> is found on the following state criteria lists: FL, MA, MN, New Jersey Right-to-Know List (NJ), PA, and Washington Permissible Exposures List (WA).
		No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state
		criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances
		List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous
		Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania
		Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).



Page 5 of 6 **BC-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2014

		15. REGULATORY INFORMATION – cont'd	
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Selenious Acid: Corrosive (C), Toxic (T). Risk Phrases (R): R35 – Causes severe burns. Safety Phrases (S): S1/2-7/9-24/25-26-28-46 - Keep locked up and out of the reach of children. Keep container tightly closed and in a well-ventilated place. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash with plenty of soap and warm water. If swallowed, seek medical advice immediately and show this container or label. Nitric Acid: Irritaant (Xi). Risk Phrases (R): 36/38 – Irritating to eyes and skin. Safety Phrases (S):1/2-23-26-36-45 – Keep locked up and out of reach of children. Do not breathe fumes/vapors. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing. In case of accident or if you feel unwell seek medical advice immediately (show label where possible)	
		16. OTHER INFORMATION SW Revised 01.12.2020	
16.1	Other Information:	DANGER! May intensify fire; oxidizer. Toxic if swallowed. Toxic if inhaled. May cause severe skin burns eye damage. Very toxic to aquatic life with long lasting effects. May be fatal if swallowed or harmful if inhal Causes severe burns to eyes and skin. OXIDIZER. Keep away from heat, hot surfaces, sparks, open flames and ot ignition sources. No smoking. Keep away from clothing and other combustible materials. Avoid breathing fume/vape Wash with soap and water thoroughly after handling. Do not eat, drink, or smoke when using this product. Use c outdoors or in a well-ventilated area. Avoid release to the environment. KEEP LOCKED UP AND OUT OF REACH CHILDREN.	aled. other oors. only
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Ot government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwe Casey's knowledge, the information contained herein is reliable and accurate as of this date; however, accurate suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provid The information contained herein relates only to the specific product(s). If this product(s) is combined with ot materials, all component properties must be considered. Data may be changed from time to time. Be sure to constitute latest edition.	/ood acy, ded. ther
16.4	Prepared for:	Birchwood Casey 7887 Fuller Road, Suite #100 Eden Prairie, MN 55344 USA Tel: +1 (952) 388-6701 Fax: +1 (952) 388/6702 http://www.birchwoodCasey.com	
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	



Page 6 of 6 BC-004

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 6/24/2014

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α			G 🜍 🖤 😨
в			н 🕞 🕐 🏠 😡
С			I 🕒 🚺 🕄
D			J 🕒 🚺 🖗
Е			к 🛐 🚯 🚯 🔇
F			X Consult your supervisor or SOPs for special handling directions.
Sat	fety Glasses	Splash Goggles	Face Shield & Protective Eyewear
	Boots	Synthetic Apron	Protective Clothing & Full Suit
Full F	ace Respirator	Dust & Vapor Half- Mask Respirator	Full Face Airline Hood/Mask Respirator or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus
Flam.	Flammable
Liq.	Liquid
Sol.	Solid
Tox.	Toxicity
Irrit.	Irritation
Sens.	Senitization
Ox.	Oxidizing
Corr.	Corrosion
Repr.	Reproductive (Harm)
Asp.	Aspiration
Inh.	Inhalation
Dam.	Damage
STOT SE	Specific Target Organ Toxicity – Single Exposure
STOT RE	Specific Target Organ Toxicity – Repeated Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Autoignition Minimum temperature required to initiate combustion in air with no other source			
Temperature	of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	S
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution
	· · · · · · · · · · · · · · · · · · ·

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
тс	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨		•	۲		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

V.		N	¥	8	X	×	×
С	E	F	N	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			(!)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment