

Page 1 of 5 **BC-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 10/25/2018 SDS Revision: 1.0 NZ DISTRIBUTOR 1. PRODUCT & COMPANY IDENTIFICATION Steve's Wholesale Ltd. Units 5 -408 The Esplanade 11 Product Name STOCK REJUVENATOR[™] CLEANER & PROTECTANT Island Bay Wellington 6023 1.2 Chemical Name: Mixture team@steveswholesale.nz Emergency Contact: Steve Colling 23422 1.3 Synonyms 0800 303 303 Stock Rejuvenator[™] Cleaner & Protectant 1.4 Trade Names: 0274 905 708 Poison Control 0800 POISON (0800 Product Use: 1.5 Cleaner & Protectant 764 766) Distributor's Name: 1.6 Birchwood Casey, LLC Distributor's Address: 3260 Winpark Drive, New Hope, MN., 55427 USA 1.7 1.8 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152 +1 (952) 388-6717 1.9 Business Phone / Fax: 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia) WARNING! HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Classification: Acute Tox. Oral 4; Skin Irrit. 2; Eye Irrit 2 Label Elements: Hazard Statements (H): H302 -Harmful if swallowed. H315 - Causes skin irritation. H319 -2.2 Causes serious eye irritation. Precautionary Statements (P): P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/eye protection. P301+P312 -IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 - Rinse mouth. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P321 - Specific treatment see section 4 of this SDS. P332+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and was it before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persist: Get medical advice/attention. P501 – Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF). Other Warnings: 2.3 KEEP OUT OF REACH OF CHILDREN. In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Keep out of reach of children. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC **OSHA** maa ppm ppm FS-FS-FS-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA PEAK PEL STEL IDLH OTHER STEL 5-100 NA INA lna NA NA NF NF NF NA NA NA PROPRIETARY INGREDIENTS 9016-45-9 NA 500-024-6 1-5 NA NA NF NA NONYLPHENOL Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Aquatic Acute 2; H302, H315, H319, H411 NA 614-604-2 1-5 NF NF NA NA NA 68554-54-1 NA NA NF **AMODIMETHICONE** Skin Irrit. 2; Eye Irrit. 2; H315, H319 4. FIRST AID MEASURES 4.1 First Aid: DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison Ingestion: Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Skin: Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Effects of Exposure: Eyes: Irritation upon direct contact. Mildly irritating. Prolonged or repeated skin contact can result in drying and defatting of the skin, and Skin: possible sensitization in some individuals. Irritation to the gastrointestinal tract. This material can enter the lungs during swallowing or vomiting and Ingestion: cause lung damage. Inhalation Irritation of respiratory tract and mucous membranes.



Page 2 of 5

BC-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018

			T AID ME								
4.3	Symptoms of Overexposure:	Eyes: Redness, burning, irritation, stinging and swelling around eyes. Skin: Redness, burning, itching, rash, drying and defatting of the skin. Ingestion: Nausea, vomiting, severe abdominal pain. Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.									
4.4	Acute Health Effects:	Irritation or possible burns upon direct skin contact. Possible irreversible damage to eyes. Irritation and possible sensitization with certain individuals.									
4.5	Chronic Health Effects:	Irritation and possible skin sensitization with certain individuals. Prolonged or repeated skin exposure may call dermatitis.				ure may cau					
4.6	Target Organs:										
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system).				HEALTH					
		organis (cycs, skin, and respin	ratory system).				FLAI	MMABIL	LITY		(
							PHY	SICAL I	HAZAR	DS	(
							PRO	TECTIV	E EQU	IPMEN	IT E
							EYES	S	KIN		
			REFIGHTIN								
5.1	Fire & Explosion Hazards:	Non-flammable. Use media a	s appropriate fo	r surrou	inding fire	01					1120
5.2	Extinguishing Methods: Firefighting Procedures:	Carbon Dioxide, Foam, Water	r Spray, Halon (ıt permi	ιτed), Dry	Chemica	ı Extinguis	ner.	ISHA/NII/	OSH	
	The signal of the second secon	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.									
		6. ACCIDE									
		Equipment (PPE). Use safet	y glasses or sa								onal Protecti e clothing (e.
			y glasses or sa skin contact. te protective equalite or sand to stible materials (each hazard area and ar appropriate pas possible and	fety gog uipment soak up e.g., org nd keep protectived d collect	ggles and t including the produ ganics suc o unauthor ve equipm t in acid-re	face shie gloves a ct and pla h as oil) ized pers ent inclu	and protect ace into a away from connel out ding respi	oves and ctive eyed containe n spill. S of area. ratory pr	wear. Ur for late stay upwi Stop sp	rotective lse a no er dispos ind and ill or rele as con	e clothing (e.gon-combustibes) sal. away from sease if it canditions warra
		Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermice Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into	sy glasses or sar skin contact. te protective equalite or sand to stible materials (de hazard area ar ar appropriate pas possible and a sewer or sur	fety gog uipment soak up e.g., org nd keep protectiv d collect face wa	gles and tincluding the produganics such unauthor we equipm in acid-reters.	face shie gloves a ct and pla h as oil) ized pers ent inclu esistant c	ld; use glo and protect ace into a away from connel out ding respi ontainer. I	oves and ctive eyed containe n spill. S of area. ratory pr	wear. Ur for late stay upwi Stop sp	rotective lse a no er dispos ind and ill or rele as con	e clothing (e.gon-combustibes) sal. away from sease if it canditions warra
7.1	Work & Hygiene Practices:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermice Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into	cy glasses or sar skin contact. te protective equalite or sand to stible materials (de hazard area ar ar appropriate pas possible and a sewer or sur	fety gog uipment soak up e.g., org nd keep protective d collect face wa	t including the produ ganics suc unauthor ve equipm in acid-re ters.	face shie gloves a ct and pla h as oil) ized pers ent inclu esistant c	and protection and protection acceptate into a away from connel out ding respiontainer. I	ctive eyer containe n spill. S of area. ratory pr Jse abso	wear. User for late stay upwing Stop sprotection or bent to	rotective lse a no er dispos ind and ill or rele as con pick up	e clothing (e.son-combustibes) away from sease if it canditions warratoresidue. Available
		Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermice Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and deceived.	sy glasses or sar skin contact. It protective equilite or sand to stible materials (de hazard area ar appropriate pas possible and a sewer or sur sur a sewer or sur a sewe	fety gog uipment soak up e.g., org nd keep protectiv d collect face wa RAGI d skin c or smc y spills c	t including the produ ganics suc o unauthor ve equipm in acid-re tters. E INFC ontact. Wo oke when or residues	face shield gloves a ct and plath as oil) ized persent incluses in the company of	and protection and protection and protection and away from connel out ding respiontainer. It is a subject to the process of th	oves and betive eyer containen n spill. S of area. ratory pr Jse abso	wear. User for late tay upwing Stop sprotection or bent to men hancash thor	rotective lse a noter disposited and and all or release con pick up dling pro- coughly	e clothing (e.gon-combustible) sal. away from sease if it can ditions warra oresidue. Avon
	Work & Hygiene Practices: Storage & Handling:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. Wear Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (each hazard area ar appropriate pas possible and to a sewer or sur sur sy AVOId eye and not eat, drink contaminate any well-ventilated.	uipmentsoak up e.g., org orotectiv d collectiface wa RAGI d skin c or smc y spills c d locatic	including the production of th	gloves a ct and pla h as oil) ized persent inclussistant copper persent inclussistant copper protection and lings.	and protection and protection and protection and protection and away from connel out ding respin ontainer. It is a second and the protection and protection are protected as a second and protection and protection are greatly as a second are greatl	ctive eyecontainen spill. Sof area. ratory programment whomen the following spills are s	wear. Up for late stay upwing Stop sprotection or bent to men hancash thorms) aways	rotective lse a noter disposite and iill or relias con pick up dling prooughly y from I	e clothing (e.s
7.2		Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermice Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and deceived.	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (each hazard area ar appropriate pas possible and a sewer or sur sur a sewer or sur an appropriate pas possible and a sewer or sur as	fety gog uipment soak up e.g., org nd keep portectiv d collect face wa RAGI d skin c or smc y spills of d locatic tances (including the production of th	gloves a ct and pla h as oil) ized persent inclussistant copper persent inclussistant copper protection and lings.	and protection and protection and protection and protection and away from connel out ding respin ontainer. It is a second and the protection and protection are protected as a second and protection and protection are greatly as a second are greatl	ctive eyecontainen spill. Sof area. ratory programment whomen the following spills are s	wear. Up for late stay upwing Stop sprotection or bent to men hancash thorms) aways	rotective lse a noter disposite and iill or relias con pick up dling prooughly y from I	e clothing (e.s
7.2	Storage & Handling:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu. Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain light.	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (ender the heart of the h	fety gog uipment soak up e.g., org nd keep porotectiv d collect face wa RAGI d skin c or smc y spills of d locatic tances (uct resi	including the product the product the product of unauthor the receipt the product the prod	gloves a ct and plath as oil) ized persent inclussistant comment.	and protection and pr	ctive eyer containen n spill. S of area. ratory pr Jse abso	wear. User for lates tay upwing Stop sprotection or bent to men hancash thorms) away om phys	rotective lse a noter disposite and iill or relias con pick up dling prooughly y from I	e clothing (e.s
7.2	Storage & Handling: Special Precautions: Exposure Limits:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu Large Spills: Keep incompat or release. Isolate immediated done with minimal risk. We Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (ender the heart of the h	uipment soak up e.g., org nd keep protectived collect face was RAGI d skin c or smc y spills of d locatic tances (uct resident protections)	including the product the product the product of unauthor the receipt the product the prod	gloves a ct and pla h as oil) ized persent inclusistant control of the control of	and protection and pr	ctive eyer containen n spill. S of area. ratory pr Jse abso	wear. User for lates tay upwing Stop sprotection or bent to men hancash thorms) away om phys	rotective lse a noter disposite and iill or relias con pick up dling prooughly y from I	e clothing (e.s
7.2	Storage & Handling: Special Precautions:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermict Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain S. EXPOSURE CO	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (see hazard area ar appropriate pas possible and a sewer or sur sur a sewer or sur a sewer or sur and the sewer or	fety gog uipment soak up e.g., org nd keep protectiv d collect face wa RAGI d skin c or smc y spills c d locatic tances (uct resid	t including the product the product the product of unauthor we equipmed in acid-recters. EINFC ontact. Worke when the product the product on (e.g., 16 see Section (e.g., 16 se	gloves a ct and plath as oil) ized persent inclusistant control process. DRMA DRMA	and protect ace into a away from connel out ding respiontainer. It is processed to the connection of t	coves and coves	wear. User for lates tay upwished Stop spotection or bent to men hancash thorems) away on physical Stellar Ste	rotective lse a no r dispos ind and ill or rele as con pick up dlling pro roughly y from I sical dar	e clothing (e.son-combustibes) away from sease if it canditions warratoresidue. Available or esidue.
7.3	Storage & Handling: Special Precautions: Exposure Limits:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu. Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain \$\frac{8}{2}\$. EXPOSURE CO	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (de hazard area ar appropriate pas possible and a sewer or sur sur sewer or sur sewer or sur sur sewer or sur sur sewer or sur sur sur sur sur sur sur sur sur su	uipmentsoak up e.g., org nd keep protectiv d collect face wa RAGI d skin c or smc y spills c d locatic tances (uct resid	t including the production of	gloves a ct and plath as oil) ized persent incluses tant certain plath as oil) ized persent incluses tant certain plath as oil persent incluses tant certain plath as oil plat	and protect ace into a away from connel out ding respin container. It is processed to the container of the c	coves and coves	wear. User for late tay upwing Stop spotection or bent to the men hand ash thorems) away on physical Stellar Stellar NA	rotective lse a nor disposite dispos	e clothing (e.special compositions) away from sease if it can ditions warra to residue. Aveo
7.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermict Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into T. HANDLIN Avoid breathing mists or spray of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain 18. EXPOSURE CO	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (each hazard area and ar appropriate pas possible and as sewer or sur sur sewer or sur sew	rety gog uipment soak up e.g., org orserved d collective d collective d collective d skin co or smc or spills of d locatic tances (uct resid STEL NA st, provict s availab oroduct a 910.134 andards	gles and including the production of the product	gloves a ct and plath as oil) ized persent inclusistant control of the control of	and protect acce into a away from connel out ding respirator this process. TION ctive equipations are the connection of	ctive eyer container spill. Sof area. ratory proment what the container spill. Sof area. ratory proment what the containers from the containers fr	wear. Up of the protection or bent to the protection of the prot	rotective Ise a noter disposite and iill or reliascon pick up Idling protoughly In the sical dar IDLH NA Intilation Reded, Inadian	e clothing (e.special compositions) away from sease if it can ditions warra to residue. Aveo
7.2	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu. Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain the Expression of the reach of children. But the sunlight of the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain the sunlight of the reach of children. But the reach of children in a cool, dry sunlight. Keep away from inc Empty containers may retain the sunlight of the reach of children in a cool, dry sunlight in a cool, dry sunlight. Keep away from inc Empty containers may retain the sunlight of the reach of children in a cool, dry sunlight	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (end hazard area and ar appropriate passible and to a sewer or sur sur sewer or sur sewer	rety gog uipment soak up e.g., org nd keep orotectiv d collect face wa RAG d skin c or smc y spills o d locatic tances (uct resid STEL NA STEL NA 910.134 andards ith full o ed where	including the product including the product in acid-resters. EINFC ontact. Whose when or residues on (e.g., losee Section (e.g., losee	gloves a ct and pla h as oil) ized persent inclussistant control of the control o	And protect and protect acce into a away from connel out ding respiration to the protect constant and protect constant are the protect constant are the protect constant are the protect constant are gull princes, Etridge) at this process.	contained a spill. So of area. ratory product. What attainers from the spill. So of area. ratory product. What attainers from the spill. So of area. ratory product. What attainers from the spill. So of area. PEL NA local exists. So of area. Respired to the spill. Respir	wear. User for late stay upwing Stop sprotection or bent to the stay of the st	IDLH NA ntilation ee face	e clothing (e.special compositions) away from sease if it can ditions warra to residue. Aveo
7.1 7.2 7.3 3.1 8.2 8.3 8.4 8.5 8.6	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	Equipment (PPE). Use safet apron, boots, etc.) to prevent Small Spills: Wear appropriat inert material such as vermicu. Large Spills: Keep incompat or release. Isolate immediate done with minimal risk. We Recover as much free liquid discharging liquid directly into the reach of children. Do Immediately clean-up and dec Use and store in a cool, dry sunlight. Keep away from inc Empty containers may retain the Exposure CO CHEMICAL NAME(S) NA When working with large quarthat an eyewash station, sink In instances where vapors or use only protection authorized CAS Standard Z94.4-93 and Australia (e.g., NIOSH approving Safety glasses with side shie	sy glasses or sar skin contact. Ite protective equilite or sand to stible materials (end hazard area and ar appropriate passible and a sewer or sur	rety gog uipment soak up e.g., org nd keep orotectiv d collect face wa RAGI d skin c or smc y spills of uct resid STEL NA 910.134 andards ith full o ed where	including the product including the product in product in acid-received the product in acid-received in acid	gloves a ct and pla h as oil) ized persent inclussistant control persent inclusive persent inclusive persent including persent persent including persent including persent including persent inc	And protect and protect acce into a away from connel out ding respiration to the protect construction of the prote	coves and citive eyer container a spill. Sof area. ratory product. What attainers from the containers from	wear. User for lates tay upwing Stop sprotection or bent to the stay upwing stop sprotection or bent to the stay upwing stop sprotection or bent to the stay upwing stop sprotection as haust vertion is near the Carbor State protective and or haust vertion is near the Carbor State protective and or haust vertical state protective and or haust vertical states are states and the states are states and the states are sta	IDLH NA ntilation ee face ndling	e clothing (e.special compositions) away from sease if it can ditions warra to residue. Aveo



14.6

14.7

SCT (MEXICO)

ADGR (AUS):

NOT REGULATED

NOT REGULATED

SAFETY DATA SHEET

Page 3 of 5

BC-036 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018 9. PHYSICAL & CHEMICAL PROPERTIES Milky white liquid 9 1 Appearance 9.2 Odor Slight floral odor Odor Threshold: 9.3 NA 4.5 - 5.5 94 pH: 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA 9.7 Flashpoint: NA Upper/Lower Flammability 9.8 NA Limits: Vapor Pressure: NA 9.9 9.10 Vapor Density: NA 9.11 Relative Density: 1.00 9.12 Solubility NA 9.13 Partition Coefficient (log Pow): NA 9 14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA NA 9.17 Other Information: 10. STABILITY & REACTIVITY Stable under normal storage and use conditions. 10.1 Stability: 10.2 Hazardous Decomposition Thermal decomposition may produce carbon, potassium, sulfur and nitrogen oxides. Products: 10.3 Hazardous Polymerization: Will not occur. Avoid high temperatures and incompatible materials. 10.4 Conditions to Avoid: 10.5 Incompatible Substances: Strong acids, water-reactive substances and metals such as aluminum and zinc. 11. TOXICOLOGICAL INFORMATION Routes of Entry: Absorption: YES Ingestion: NO 11.1 This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is 11.2 Toxicity Data: available for some of the components of the product 11.3 Acute Toxicity See Section 4.4 11.4 Chronic Toxicity See Section 4.5 11.5 Suspected Carcinogen NA 11.6 Reproductive Toxicity This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 117 Irritancy of Product: See Section 4.2 Biological Exposure Indices: NE 11.8 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 **Environmental Stability** There are no specific data available for this product 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate 13.1 Waste Disposal: disposal method for the ingredients listed in Section 3. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR) **NOT REGULATED** 14.3 IMDG (OCN): NOT REGULATED TDGR (Canadian GND): NOT REGULATED 14 5 ADR/RID (EU): NOT REGULATED



Page 4 of 5 **BC-036**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 10/25/2018

	- , ,	,, ,				
		15. REGULATORY INF	EOPMATION HSR002530			
45.4	04B4 B					
15.1	SARA Reporting Requirements: SARA TPQ:	The product accomment any entrinear subject to an extra military and in the report of the potential of the product of the potential of the product of the potential of the product of the potential of the potenti				
15.2		There are no specific Threshold Planning Quantities for the components of this product.				
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.				
15.4	CERCLA Reportable Quantity:	NA				
15.5	Other Federal Requirements:	NA				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class D2B (Materials Causing Other Toxic Effects).				
15.7	State Regulatory Information:	None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).				
15.8	Other Requirements:	This product does not contain any chemicals known harm. For more information go to www.P65Warning	to the State of California to cause cancer or other reproductive s.ca.gov			
		16. OTHER INFOR	MATION SW revised 30.12.2020			
16.1	Other Information:	WARNING! HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Specific treatment see section 4 of this SDS. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and was it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persist: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey, LLC knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	Birchwood Casey, LLC 3260 Winpark Drive New Hope, MN 55427 USA Tel: +1 (952) 388-6717 Email: customerservice@birchwoodcasey.com http://www.birchwoodCasey.com	BIRCHWOOD CASEY			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting			



Page 5 of 5

BC-036

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 10/25/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	
RTECS No. Registry of Toxic Effects of Chemical Substances Number	
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV Threshold Limit Value		
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Е			
F		4	





OTHER STANDARD ABBREVIATIONS:

Irritant	
Not Available	
No Results	
Not Determined	
Not Established	
Not Found	
Self-Contained Breathing Apparatus	
Sens Sensitization	
Specific Target Organ Toxicity – Repeat Exposure	
STOT SE Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition	Autoignition Minimum temperature required to initiate combustion in air with no other source		
Temperature	of ignition		
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will		
	explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will		
	explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	2
ALK	Alkaline	
COR	Corrosive	/ \ \
₩	Use No Water	HEALTH
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
C, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution
TD _{lo} , LD _{lo} , & LD _o or C, TC _o , LC _{lo} , & LC _o IARC NTP RTECS BCF TL _m	Lowest dose (or concentration) to cause lethal or toxic effects International Agency for Research on Cancer National Toxicology Program Registry of Toxic Effects of Chemical Substances Bioconcentration Factor Median threshold limit

REGULATORY INFORMATION:

WHMIS Canadian Workplace Hazardous Material Information System		
DOT U.S. Department of Transportation		
TC Transport Canada		
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®	(3)		①	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		③	\Diamond			\Diamond		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment