



## Safety Data Sheet

### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

- Product Name** • **RIG Universal Grease**
- Synonyms** • RIG® UNIVERSAL GREASE
- Product Code** • 40020; 40027; 40045; RUG; RUG12; RUG3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified use(s)** • Used in the prevention of rust and corrosion of firearm metal parts

#### 1.3 Details of the supplier of the safety data sheet

- Manufacturer** • Birchwood Casey, LLC  
7887 Fuller Road, Suite 100  
Eden Prairie, MN 55344  
United States  
www.birchwoodcasey.com
- Telephone (General)** • 952-388-6717
- NZ DISTRIBUTOR**  
Steve's Wholesale Ltd. Units 5 – 7 / 408  
The Esplanade  
Island Bay Wellington 6023  
team@steveswholesale.nz  
Emergency Contact: Steve Collings  
0800 303 303  
0274 905 708  
Poison Control 0800 POISON (0800 764 766)
- 1.4 Emergency telephone number**
- Manufacturer** • 1-800-424-9300 - CHEMTREC

### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]  
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

- CLP**
- Skin Irritation 2 - H315
  - Eye Irritation 2 - H319
  - Carcinogenicity 1B - H350
- DSD/DPD**
- Irritant (Xi)
  - Carcinogenic Substances - Category 2
  - R36/38, R45

#### 2.2 Label Elements

CLP

**DANGER**



**Hazard statements** • H315 - Causes skin irritation

H319 - Causes serious eye irritation  
H350 - May cause cancer.

## Precautionary statements

- Prevention**
- P201 - Obtain special instructions before use.
  - P202 - Do not handle until all safety precautions have been read and understood.
  - P264 - Wash thoroughly after handling.
  - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
  - P281 - Use personal protective equipment as required.
- Response**
- P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
  - P321 - Specific treatment, see supplemental first aid information.
  - P332+P313 - If skin irritation occurs: Get medical advice/attention.
  - P362 - Take off contaminated clothing and wash before reuse.
  - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P337+P313 - If eye irritation persists: Get medical advice/attention.
  - P308+P313 - IF exposed or concerned: Get medical advice/attention.
- Storage/Disposal**
- P405 - Store locked up.
  - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## DSD/DPD



- Risk phrases**
- R36/38 - Irritating to eyes and skin.
  - R45 - May cause cancer.
- Safety phrases**
- S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
  - S53 - Avoid exposure - obtain special instructions before use.

## 2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD**
- According to European Directive 1999/45/EC this material is considered dangerous.

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Skin Irritation 2 - H315
  - Eye Irritation 2A - H319

### 2.2 Label elements

**OSHA HCS 2012**

#### WARNING



- Hazard statements**
- Causes skin irritation - H315
  - Causes serious eye irritation - H319

## Precautionary statements

- Prevention**
- Wash thoroughly after handling. - P264
  - Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- IF ON SKIN: Wash with plenty of soap and water. - P302+P352
  - Specific treatment, see supplemental first aid information. - P321
  - If skin irritation occurs: Get medical advice/attention. - P332+P313

Take off contaminated clothing and wash before reuse. - P362  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338  
 If eye irritation persists: Get medical advice/attention. - P337+P313

## 2.3 Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

### According to WHMIS

## 2.1 Classification of the substance or mixture

### WHMIS

- Other Toxic Effects - D2B

## 2.2 Label elements

### WHMIS



- Other Toxic Effects - D2B

## 2.3 Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Petrolatum	CAS:8009-03-8 EC Number:232-373-2	71%	NDA	EU DSD/DPD: Annex VI, Table 3.2: Carc.Cat.2; R45 EU CLP: Annex VI: Carc. 1B, H350 OSHA HCS 2012: Data lacking	NDA
Sodium Alkyl Aryl Sulfonate	NDA	14%	NDA	EU DSD/DPD: Data lacking EU CLP: Data lacking OSHA HCS 2012: Data lacking	NDA
Distillates (petroleum), hydrotreated middle	CAS:64742-46-7 EC Number:265-148-2	8%	NDA	EU DSD/DPD: Annex VI, Table 3.2: Carc.Cat.2; R45 EU CLP: Annex VI, Table 3.1: Carc. 1B; H350 OSHA HCS 2012: Data lacking	NDA

Hydrotreated light naphthenic petroleum distillate (highly refined)	CAS:64742-53-6 EC Number:265-156-6	7%	NDA	EU DSD/DPD: Self Classified: Xi R38 EU CLP: Self Classified: Skin Irrit. 2, H315 OSHA HCS 2012: Skin Irrit. 2	NDA
---	---------------------------------------	----	-----	---	-----

See Section 11 for Toxicological Information. See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing.

#### Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Take off contaminated clothing and wash before reuse. If irritation develops and persists, get medical attention.

#### Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

#### Ingestion

- Do NOT induce vomiting. Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media** ● Foam, dry chemical, carbon dioxide or any Class B extinguishing agent.

**Unsuitable Extinguishing Media**

- Water may be unsuitable as an extinguishing medium, but helpful in keeping adjacent containers cool.

### 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards**

- Containers may explode when heated. Some of these materials may burn, but none ignite readily.

**Hazardous Combustion Products**

- No data available.

### 5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.  
Wear positive pressure self-contained breathing apparatus (SCBA).

## Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

- Do not walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wear appropriate personal protective equipment, avoid direct contact. Ventilate enclosed areas.

**Emergency Procedures** ● Keep unauthorized personnel away. Ventilate closed spaces before entering.

## 6.2 Environmental precautions

- Avoid run off to waterways and sewers.

## 6.3 Methods and material for containment and cleaning up

### Containment/Clean-up Measures

- Stop leak if you can do it without risk. Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in suitable container.

## 6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- Use only with adequate ventilation. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing mist, vapours, spray. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- Do not store where temperature may exceed 120°F. Keep container closed when not in use.

### 7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits/Guidelines

- No applicable exposure limits available for product or components.

### 8.2 Exposure controls

#### Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal Protective Equipment

##### Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

##### Eye/Face

- Wear safety glasses.

##### Skin/Body

- Wear appropriate gloves.

#### Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Yellow soft grease with a petroleum odor.
Color	Yellow	Odor	Petroleum
Odor Threshold	Data lacking		
General Properties			
Boiling Point	Data lacking	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	0.9 Water=1	Water Solubility	Negligible
Viscosity	Data lacking	Explosive Properties	Not Explosive.
Oxidizing Properties:	Not an oxidizer.		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	Data lacking
Evaporation Rate	Data lacking	Volatiles (Vol.)	< 1 %
Flammability			
Flash Point	450 F(232.2222 C) COC (Cleveland Open Cup)	UEL	Data lacking
LEL	Data lacking	Autoignition	Data lacking
Flammability (solid, gas)	Not Flammable.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

## 9.2 Other Information

- No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Avoid high temperatures (>120°F) and ignition sources.

### 10.5 Incompatible materials

- Strong oxidizers.

### 10.6 Hazardous decomposition products

- Thermal decomposition may produce carbon monoxide, metallic oxides and carbon dioxide.

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Component Name	CAS	Data
Hydrotreated light naphthenic petroleum distillate (highly refined) (7%)	64742-53-6	<b>Acute Toxicity:</b> orl-rat LD :>5 gm/kg; <b>Irritation:</b> skn-rbt 500 mg SEV

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Carcinogenicity 1B OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Eye Irritation 2 OSHA HCS 2012 • Eye Irritation 2A

**Route(s) of entry/exposure**

- Inhalation, Skin, Eye, Ingestion

**Potential Health Effects****Inhalation****Acute (Immediate)**

- No data available

**Chronic (Delayed)**

- No data available.

**Skin****Acute (Immediate)**

- Causes skin irritation.

**Chronic (Delayed)**

- No data available.

**Eye****Acute (Immediate)**

- Causes serious eye irritation.

**Chronic (Delayed)**

- No data available.

**Ingestion****Acute (Immediate)**

- May cause abdominal discomfort, nausea and diarrhea.

**Chronic (Delayed)**

- No data available.

**Carcinogenic Effects**

- Repeated and prolonged exposure may cause cancer.

**Key to abbreviations**

LD = Lethal Dose

SEV = Severe

**Section 12 - Ecological Information**

## 12.1 Toxicity

- Material data lacking.

## 12.2 Persistence and degradability

- Material data lacking.

## 12.3 Bioaccumulative potential

- Material data lacking.

## 12.4 Mobility in Soil

- Material data lacking.

## 12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted.

## 12.6 Other adverse effects

- No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not regulated	NDA	NDA	NDA

#### 14.6 Special precautions for user

- None known.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

## Section 15 - Regulatory Information

HSR002607

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### SARA Hazard Classifications

- Acute



State Right To Know				
Component	CAS	MA	NJ	PA
Distillates (petroleum), hydrotreated middle	64742-46-7	No	No	No
Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Yes	No	No
Petrolatum	8009-03-8	No	No	No

Inventory						
Component	CAS	Canada DSL	Canada NDSL	EU EINECS	EU ELNICS	TSCA
Distillates (petroleum), hydrotreated middle	64742-46-7	Yes	No	Yes	No	Yes
Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Yes	No	Yes	No	Yes
Petrolatum	8009-03-8	Yes	No	Yes	No	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

- Petrolatum 8009-03-8 Uncontrolled product according to WHMIS classification criteria
- Hydrotreated light naphthenic petroleum distillate (highly refined) 64742-53-6 Not Listed
- Distillates (petroleum), hydrotreated middle 64742-46-7 Uncontrolled product according to WHMIS classification criteria

#### Canada - WHMIS - Ingredient Disclosure List

- Petrolatum 8009-03-8 Not Listed
- Hydrotreated light naphthenic petroleum distillate (highly refined) 64742-53-6 Not Listed
- Distillates (petroleum), hydrotreated middle 64742-46-7 Not Listed

### Environment

#### Canada - 2004 NPRI (National Pollutant Release Inventory)

- Petrolatum 8009-03-8 Not Listed
- Hydrotreated light naphthenic petroleum distillate (highly refined) 64742-53-6 Not Listed
- Distillates (petroleum), hydrotreated middle 64742-46-7 Not Listed

#### Canada - 2005 NPRI (National Pollutant Release Inventory)

- Petrolatum 8009-03-8 Not Listed
- Hydrotreated light naphthenic petroleum distillate (highly refined) 64742-53-6 Not Listed
- Distillates (petroleum), hydrotreated middle 64742-46-7 Not Listed

#### Canada - CEPA - Greenhouse Gases Subject to Mandatory Reporting

- Petrolatum 8009-03-8 Not Listed
- Hydrotreated light naphthenic petroleum distillate (highly refined) 64742-53-6 Not Listed
- Distillates (petroleum), hydrotreated middle 64742-46-7 Not Listed

**Canada - CEPA - Priority Substances List**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**Canada - DWQ (Drinking Water Quality) - IMACs**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**Other****Canada - Accelerated Reduction/Elimination of Toxics (ARET)**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**Canada New Brunswick****Environment****Canada - New Brunswick - Ozone Depleting Substances - Schedule A**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**Canada - New Brunswick - Ozone Depleting Substances - Schedule B**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**Europe****Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Petrolatum	8009-03-8	Carc.Cat.2; R45
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Carc.Cat.2; R45
• Distillates (petroleum), hydrotreated middle	64742-46-7	Carc.Cat.2; R45

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

• Petrolatum	8009-03-8	T R:45 S:53-45
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	T R:45 S:53-45
• Distillates (petroleum), hydrotreated middle	64742-46-7	T R:45 S:53-45

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Petrolatum	8009-03-8	N
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	L
• Distillates (petroleum), hydrotreated middle	64742-46-7	N

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Petrolatum	8009-03-8	S:53-45
--------------	-----------	---------

• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	S:53-45
• Distillates (petroleum), hydrotreated middle	64742-46-7	S:53-45

## Mexico

### Other

#### Mexico - Hazard Classifications

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### Mexico - Regulated Substances

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### U.S. - OSHA - Specifically Regulated Chemicals

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

### Environment

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

#### U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**United States - California****Environment****U.S. - California - Proposition 65 - Carcinogens List**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**United States - Pennsylvania****Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Petrolatum	8009-03-8	Not Listed
• Hydrotreated light naphthenic petroleum distillate (highly refined)	64742-53-6	Not Listed
• Distillates (petroleum), hydrotreated middle	64742-46-7	Not Listed

## 15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

### Section 16 - Other Information

SW Revised 01.12.2020

#### Relevant Phrases (code & full text)

R38 - Irritating to skin.

#### Last Revision Date

- 12/May/2014

#### Preparation Date

- 17/December/2012

#### Disclaimer/Statement of Liability

- The data here is for hazard communication to our employees, our customers and their employees, and authorized regulatory agencies. For the intended purpose, this SDS (Safety data Sheet) may be duplicated or the data transcribed to an alternative form. NOTE: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Birchwood Casey LLC makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for a particular period. Accordingly, Birchwood Casey LLC will not be responsible for damages of any kind resulting from the use of or reliance upon such information. NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER TO WHICH THE INFORMATION REFERS. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

#### Key to abbreviations

NDA = No Data Available