

NZ DISTRIBUTOR

SHIELD XP RUST PREVENTATIVE

SECTION 1

IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

COMPANY NAME: Bore Tech, Inc.

ADDRESS: 2404 Milford Square Pike Steve's Wholesale Ltd. Units 5 –

Quakertown, PA. 18951 7 / 408 The Esplanade

PHONE NUMBER: 1-267-347-4436 / 1-267-347-4458 (fax) Island Bay Wellington 6023

WEBSITE: www.boretech.com team@steveswholesale.nz

Shield XP Rust Preventative Emergency Contact: Steve Collings 0800 303 303

PRODUCT IDENTITY: Shield XP Rust Preventative 0800 303 303 **INTENDED USE**: General Corrosion Inhibitor 0274 905 708

APPLICATION METHOD: See technical data sheet Poison Control 0800 POISON

(0800 764 766)

EMERGENCY PHONE:

CHEM-TREC: 1-800-424-9300 / Outside US: +1-703-527-3887

Poison Control Center (USA): 1-800-222-1212

SECTION 2

HAZARD(S) IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

No Symbol Required

HAZARD STATEMENT(S):

Eye Irrit. 2B; H320 Causes eye irritation.

LABEL ELEMENTS:

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

SIGNAL WORD: WARNING

GENERAL:

P102: Keep out of reach of children

P103: Read label before use

PREVENTION:

P280: Wear gloves/eye/face protection. P264: Wash thoroughly after handling.

RESPONSE:

P302+352: IF ON SKIN: Wash with plenty of soap and water. P332+313: If irritation occurs, get medical advice/attention.

P305+351+338: IF IN EYES: rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do; continue rinsing.

P337+P313: If eye irritation persists, get medical advice/attention.



SHIELD XP RUST PREVENTATIVE

STORAGE:

P404: Store in a closed container.

DISPOSAL:

P501: Dispose of contents/container in accordance with local/national regulations.

CLASSIFICATION SYSTEM

NFPA Ratings (scale 0 - 4)



HMIS Ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

OTHER HAZARDS

Results of PBT and vPvB assessment

PBT: Not Applicable vPvB: Not Applicable

SECTION 3

COMPOSITION / INFORMATION ON INGREDIENTS

This product is labeled with the following GHS classifications, as it contains substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations. This product is a proprietary blend with nonhazardous additions and some ingredients and mixture percentages are being withheld as confidential business information.

CAS Number	EC Number	Chemical Designations	GHS Classification	Weight %
112-34-5	203-961-6	Diethylene glycol monobutyl ether	Eye Irrit. 2B; H320	≤ 2.5

Relevant Risk Phrases:

H320 Causes eye irritation.



SHIELD XP RUST PREVENTATIVE

SECTION 4

FIRST AID MEASURES

GENERAL: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by

mouth to an unconscious person.

INHALATION: Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate medical

attention.

INGESTION: If symptoms persist, consult doctor

EYES: Check for and remove any contact lenses. Irrigate copiously with clean fresh water for several

minutes. If symptoms persist, consult a doctor.

SKIN: Remove contaminated clothing. Wash skin thoroughly with soap and water

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

OVERVIEW: No adverse symptoms or effects anticipated under normal handling conditions.

See Section 2 for further details.

EYES: Causes eye irritation

SKIN: None

SECTION 5

FIRE FIGHTING DATA

EXTINGUISHING MEDIA: Fire can be extinguished using: carbon dioxide (CO²), dry chemicals, sand, etc. Do

not use water.

SPECIAL HAZARDS: No further relevant information available

ADVICE FOR FIREFIGHTERS: Evacuate area. Prevent contamination from run-off of adjacent areas, streams,

drinking water and sewers. Do not flush down sewers or other drainage

systems.

PROTECTIVE EQUIPMENT: Exposed firefighters must wear standard protective equipment and SCBA.

SECTION 6

ACCIDENTAL RELEASE MEASURE

PERSONAL PRECAUTIONS PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Not required

ENVIRONMENTAL PRECAUTIONS

Do not allow to enter sewers / surface or ground water



SHIELD XP RUST PREVENTATIVE

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Ventilate the area and avoid breathing vapors. Take personal protective measures listed in Section 8. Contain and absorb spillage with non-combustible materials (e.g. sand/earth/vermiculite). Place in closed containers outside and dispose of according to the Waste regulations (see Section 13). Clean with water. Do not allow spills to enter drains or water course.

SECTION 7

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Avoid contact with eyes, skin or clothing. Ensure adequate ventilation and prevent formation of aerosols. Keep container closed. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. See section 2 for further details (PREVENTION).

CONDITIONS FOR SAFE STORAGE

Store in tightly closed containers away from excessive heat and incompatibles. See Section 2 for further details (STORAGE).

INCOMPATIBLE MATERIALS

Store away from oxidizing agents, halogens

FURTHER INFORMATION ABOUT STORAGE CONDITIONS

Store out of the reach of children

SPECIFIC END USE(S)

General Corrosion Inhibitor

MANUFACTURES RECOMMENDED SHELF LIFE

When stored according to Section 7 conditions: 2 years from the Date of Sale

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL PROTECTIVE EQUIPMENT AND HYGIENIC MEASURES

Avoid contact with eyes or clothing. Keep away from foodstuffs, beverages and feed. Use good personal hygiene practices. Wash hands before eating, drinking, smoking. Remove contaminated clothing and clean before re-use. See section 2 for further details (PREVENTION).

PROTECTIVE EQUIPMENT

RESPIRATORY: Not required

EYES: Wear safety eyewear (e.g. safety spectacles/goggles/visors) to protect against the splash of

liquids.

SKIN: Use suitable protective gloves if risk of skin contact. All parts of body should be washed after

contact.



SHIELD XP RUST PREVENTATIVE

ENGINEERING CONTROLS

None

OTHER WORK PRACTICES

No data available. See Section 2 for further details (PREVENTION).

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Form: Liquid Color: Tan/Brown

Odor: Coconut/Petrol-like odor

ODOR THRESHOLD: Not determined pH Value at 15.6 °C (60 °F): Not determined

CHANGE IN CONDITION

Melting point/Melting range: Undetermined
Boiling point/Boiling range: Undetermined
FLASH POINT: > 232 °C (> 450 °F)
FLAMMABILITY (SOILID, GASEOUS): Not applicable
IGNITION TEMPERATURE: 354 °C (699 °F)
DECOMPOSITION TEMPERATURE: Not determined

AUTO IGNITING: Product is not self igniting

DANGER OF EXPLOSION: Product does not present an explosion hazard

EXPLOSION LIMITS

Lower: Not determined
Upper: Not determined
VAPOR PRESSURE AT 20 °C (68 °F): 1.1 hPa (1 mm Hg)

DENSITY AT 20 °C (68 °F): 0.79 g/cm³ (6.593 lbs/gal)

RELATIVE DENSITY:

VAPOR DENSITY:

Not determined

EVAPORATION RATE:

Not determined

SOLUBILITY IN/MISCIBILITY WITH

Water: Not miscible PARTITION COEFFICIENT: Not determined

VISCOSITY

Dynamic: Not determined Kinematic: Not determined



SHIELD XP RUST PREVENTATIVE

SOLVENT CONTENT

< 2.0% Organic solvents: Water: 0% VOC content: < 2.0%

< 15.8g/l / 0.13 lb/gl

OTHER INFOMRATION: No further relevant information available

SECTION 10 STABILITY AND REACTIVITY

REACTIVITY: Not chemically reactive

CHEMICAL STABILITY: Stable under normal storage and handling conditions

HAZARDOUS REACTIONS: Hazardous reactions not anticipated

CONDITIONS TO AVOID: Extreme heat, sources of ignition, incompatibles

INCOMPATIBLE MATERIALS: Oxidizing agents, Halogens

HAZARDOUS DECOMPOSITION PROD.: Not anticipated under normal conditions of use

SECTION 11

TOXICOLOGICAL INFORMATION

CATEGORY -- : Item: Acute Toxicity (mouth) / Hazard: Not applicable CATEGORY -- : Item: Acute Toxicity (skin) / Hazard: Not applicable

CATEGORY -- : Item: Acute Toxicity (inhalation) / Hazard: Not applicable **CATEGORY --:** Item: Skin Corrosion/Irritation / Hazard: Not applicable **CATEGORY -- :** Item: Eye Damage/Irritation / Hazard: Not applicable **CATEGORY -- :** Item: Sensitization (respiratory) / Hazard: Not applicable

CATEGORY --: Item: Sensitization (skin) / Hazard: Not applicable **CATEGORY -- :** Item: Germ Toxicity / Hazard: Not applicable **CATEGORY --:** Item: Carcinogenicity / Hazard: Not applicable CATEGORY -- : Item: Reproductive Toxicity / Hazard: Not applicable

CATEGORY -- : Item: Specific Target Organ Systemic Toxicity (single exposure) / Hazard: Not applicable CATEGORY -- : Item: Specific Target Organ Systemic Toxicity (repeated exposure) / Hazard: Not applicable

CATEGORY -- : Item: Aspiration Hazard / Hazard: Not applicable



SHIELD XP RUST PREVENTATIVE

SECTION 12

ECOLOGICAL INFORMATION

TOXICITY: No additional information provided for this product See Section

3 for chemical specific data.

AQUATIC TOXICITY: No further relevant information available No further relevant information available PERSISTENCE AND DEGRADABILITY: **BIOACCUMULATIVE POTENTIAL:** No further relevant information available **MOBILITY IN SOIL:** No further relevant information available

RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: Not applicable vPvB: Not applicable

ADDITIONAL ECOLOGICAL INFORMATION: Do not allow undiluted product or large quantities to reach

ground water, water course or sewage system.

SECTION 13

DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Do not allow into drains or water courses. Waste and emptied containers should be disposed of in accordance with regulations made under the Control of Pollution Act and the Environmental Protection Act. Using information provided in this sheet advice should be obtained from the local Waste Regulation Authority, whether the special waste regulations apply.

SECTION 14 TRANSPORT INFORMATION

This product is NOT classified as Dangerous Goods by DOT, ADR, IMO, ADN, IMDG, or ITATA

UN NUMBER: Not applicable **UN PROPER SHIPPING NAME:** Not regulated

TRANSPORT HAZARD CLASS(ES):

DOT/ADR (Domestic Surface transportation)

Proper Shipping Name: Not regulated Hazard Class: Not applicable

None Label:

UN/NA Number: Not applicable Packing Group: Not applicable

IMO/ADN/IMDG (Ocean transportation)

Proper Shipping Name: Not regulated Hazard Class: Not applicable **UN/NA Number:** Not applicable Not applicable Packing Group:



SHIELD XP RUST PREVENTATIVE

IATA (Air transportation)

Proper Shipping Name: Not regulated Hazard Class: Not applicable UN/NA Number: Not applicable Packing Group: Not applicable

SPECIAL PRECAUTIONS FOR USER: Not applicable

TRANSPORT: Transport in bulk according to Annex II of MARPOL73/78 and the

IBC Code: Not applicable

ENVIRONMENTAL HAZARDS: Marine Pollutant: No

PACKING GROUP: Not applicable

SECTION 15 REGULATORY INFORMATION HSR002549

REGULATORY OVERVIEW: The regulatory data in Section 15 is not intended to be all-inclusive, only

selected regulations are represented for the specific substance or mixture.

US EPA TIER II HAZARDS: Fire: <u>No</u> / Sudden Release of Pressure: <u>No</u> / Reactive: <u>No</u>

Immediate (Acute): No / Delayed (Chronic): No

Control Act (TSCA): All ingredients listed

EPCRA 311/312: Chemicals and RQs (>0.1%): No product ingredients listed EPCRA 302: Extremely Hazardous (>0.1%): No product ingredients listed EPCRA 313: Toxic chemicals (>0.1%): No product ingredients listed

PROPOSITION 65: Carcinogens (>0.0%): No product ingredients listed

PROPOSITION 65:Developmental Toxins (>0.0%): No product ingredients listedPROPOSITION 65:Female Reproductive Toxins (>0.0%): No product ingredients listedPROPOSITION 65:Male Reproductive Toxins (>0.0%): No product ingredients listed

NJ RTK SUBSTANCE (>1%): No product ingredients listed PA RTK SUBSTANCE (>1%): No product ingredients listed

SECTION 16 OTHER INFORMATION SW revised 30.12.2020

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. No warranty of any type either express or implied or any representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use.