




**NC Powder**  
**N300-series, 3N17, 3N36 and 3N37 Powder**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

<b>1.1 Product identifier:</b>	NC Powder N300-series, 3N17, 3N36 and 3N37 Powder	NZ DISTRIBUTOR Steve's Wholesale Ltd. Units 5 – 7 / 408 The Esplanade Island Bay Wellington 6023 team@steveswholesale.nz Emergency Contact: Steve Collings 0800 303 303
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against:</b>	Relevant uses: Propellant for ammunition Uses advised against: All uses not specified in this section or in section 7.3	0274 905 708 Poison Control 0800 POISON (0800 764 766)
<b>1.3 Details of the supplier of the safety data sheet:</b>	Nammo Vihtavuori Oy Ruutitehtaantie 80 41330 Vihtavuori - Finland Phone.: +358 10 523 3140 Fax: +358 14 3779 613 info@vihtavuori.com www.nammo.com	NZ DISTRIBUTOR: Steve's Wholesale Ltd Units 5-7 / 408 The Esplanade Island Bay Wellington 6023 04 383 7351 0800 303 303 Emergency Contact: Steve Collings 0274 905 708
<b>1.4 Emergency telephone number:</b>	Emergency telephone number Europe: 112	

**SECTION 2: HAZARDS IDENTIFICATION**

<b>2.1 Classification of the substance or mixture:</b>	<b>CLP Regulation (EC) n° 1272/2008:</b> Classification of this product has been carried out in accordance with CLP Regulation (EC) n° 1272/2008. Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Expl. 1.3: Explosives, Category 1.3, H203
<b>2.2 Label elements:</b>	<b>CLP Regulation (EC) n° 1272/2008:</b> <b>Danger</b>  <b>Hazard statements:</b> H412 - Harmful to aquatic life with long lasting effects H203 - Explosive, fire, blast or projection hazard <b>Precautionary statements:</b> P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P240: Ground/bond container and receiving equipment P250: Avoid abrasion, shock and friction P280: Wear protective gloves/protective clothing/eye protection/face protection P370+P380: In case of fire: Evacuate area P373: DO NOT fight fire when fire reaches explosives P401: Store with extreme precaution P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively
<b>2.3 Other hazards:</b>	Non-applicable

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<b>3.1 Substance:</b>	Non-applicable
<b>3.2 Mixture:</b>	<b>Chemical description:</b> Mixture of substances <b>Components:</b> In accordance with Annex II of Regulation (EC) n°1907/2006 (point 3), the product contains:

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)**

Identification	Chemical name/Classification		Concentration
CAS: Non-applicable EC: Non-applicable Index: 603-037-00-6 REACH: Non-applicable	<b>Nitrocellulose</b>	ATP CLP00	<b>80 - &lt;99 %</b>
	Regulation 1272/2008	Expl. 1.3: H203 - Danger	
CAS: 122-39-4 EC: 204-539-4 Index: 612-026-00-5 REACH: 01-2119488966-13-XXXX	<b>Diphenylamine</b>	ATP CLP00	<b>0,1 - &lt;2 %</b>
	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; STOT RE 2: H373 - Danger	

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation, however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist. Heating can release hazardous gases, nitrogen oxides (NOx), avoid exposure.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

**By ingestion/aspiration:**

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen lean the patient forward to avoid aspiration. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

**4.2 Most important symptoms and effects, both acute and delayed:**

Exposing to Nitrogen oxides (NOx) may cause symptoms of poisoning after several hours. Keep under medical supervision for at least 48 hours.

**4.3 Indication of any immediate medical attention and special treatment needed:**

Non-applicable

**SECTION 5: FIREFIGHTING MEASURES**

**5.1 Extinguishing media:**

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS RECOMMENDED to use water as an extinguishing agent.

**5.2 Special hazards arising from the substance or mixture:**

WARNING! Explosive, fire, blast or projection hazard. In case of fire follow the instructions on the Internal Emergency Plan. In case of fire and/or explosion do not breathe fumes which may contains nitrogen oxides (NOx). Evacuate personnel to safe areas.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Can only be extinguished by effective cooling. Burns without auxiliary oxygen. Very fast, deflagration like burning, may turn to explosion. At risk of fire people shall be evacuated to a safe distance.

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:**

Collect the leaked product into sealed containers for disposal. Eliminate any sources of ignition. Use non-sparking tools. Keep away from heat, sparks, open flames and hot surfaces. – No smoking. Consult experts. Evacuate unauthorized personnel.

**6.2 Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

**6.3 Methods and material for containment and cleaning up:**

Avoid metal to metal contact. Collect the product carefully using for example a shovel. Do not use vacuum cleaner or similar to avoid ignition. NOTE! Explosives can detonate. For any concern related to disposal consult section 13.

**6.4 Reference to other sections:**

See sections 8 and 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:**

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used. Equipment must be adapted to work with explosives. Avoid spillage.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or other means and place in container for disposal See sections 8 and 13.

**7.2 Conditions for safe storage, including any incompatibilities:**

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food.

Store in original container. Keep in a dry, cool place. Incompatible with acids and bases. For additional information see subsection 10.5

**7.3 Specific end use(s):**

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters:**

Substances whose occupational exposure limits have to be monitored in the work environment

Nuisance dust: Inhalable dust 10 mg/m<sup>3</sup> // Respirable dust 4 mg/m<sup>3</sup>

**8.2 Exposure controls:**

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

**B.- Respiratory protection**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Respiratory protection	Filter mask for particles (FFP3)	 CAT III	EN 149:2001+A1:2009	Replace when an increase in resistance to breathing is observed.

**C.- Specific protection for the hands**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Hand protection	Chemical protective gloves	 CAT I	EN 420:2003+A1:2009	Replace the gloves at any sign of deterioration.

**D.- Ocular and facial protection**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Face protection	Panoramic glasses against liquid splash	 CAT II	EN 166:2001 EN 172:1994/A1:2000 EN 172:1994/A2:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

**E.- Bodily protection**

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Body protection	Antistatic and fireproof protective clothing	 CAT III	EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2001 EN ISO 14116:2008/AC:2009 EN 1149-5:2008	Limited protection against flames.

**F.- Additional emergency measures**

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2002	 Eyewash stations	DIN 12 899 ISO 3864-1:2002

**Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

**Appearance:**

Physical state at 20 °C: Solid  
 Appearance: Cylindar grains, flakes  
 Color: Graphitized: dark grey / Not graphitized: whitish, yellowish or dark  
 Odor: Odourless

**Volatility:**

Boiling point at atmospheric pressure: Non-applicable \*  
 Vapour pressure at 20 °C: Non-applicable \*  
 Vapour pressure at 50 °C: Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)**

Evaporation rate at 20 °C:	Non-applicable *
<b>Product description:</b>	
Density at 20 °C:	Non-applicable *
Relative density at 20 °C:	Non-applicable *
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Soluble in ketones and esters
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
<b>Flammability:</b>	
Flash Point:	min. 170°C
Autoignition temperature:	>175 °C. Extreme risk of ignition by shock, friction, fire or other sources of ignition
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

**9.2 Other information:**

Explosive properties:	Explosive
Oxidising properties:	Not oxidising

\*Not relevant due to the nature of the product, not providing information property of its hazards.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:**

No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7.

**10.2 Chemical stability:**

Chemically stable under the conditions of storage, handling and use.

**10.3 Possibility of hazardous reactions:**

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

**10.4 Conditions to avoid:** Shock, friction, fire, heating or electrostatic charges

Applicable for handling and storage at room temperature:

				Humidity
Risk of explosion	Not applicable	Stability decrease	Not applicable	Not applicable

**10.5 Incompatible materials:** Strong oxidizers and strong bases

				Others
Incompatible	Not applicable	Avoid direct impact	Not applicable	Not applicable

**10.6 Hazardous decomposition products:**

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds. Nitrous gases formed during heating and fire.

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects:**

**Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

**A.- Ingestion:**

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**B- Inhalation:**

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**C- Contact with the skin and the eyes:**

- Contact with the skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):**

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**E- Sensitizing effects:**

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensibilizing effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**F- Specific target organ toxicity (STOT)-time exposure:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, however, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

Identification	Acute toxicity		Genus
	LD50 oral	LD50 dermal	
Nitrocellulose Index: 603-037-00-6 CAS/EC: Non-applicable	>2000 mg/kg	>2000 mg/kg	
	Non-applicable		
Diphenylamine CAS: 122-39-4 EC: 204-539-4	800 mg/kg	300 mg/kg (ATEi)	Rat
	0,5 mg/L (4 h) (ATEi)		

- CONTINUED ON NEXT PAGE -



**NC Powder  
N300 and 3N Powder**

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1 Toxicity:**

Identification	Acute toxicity		Specie	Genus
Diphenylamine	LC50	3,79 mg/L (96 h)	Pimephales promelas	Fish
CAS: 122-39-4	EC50	0,3 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-539-4	EC50	1,5 mg/L (72 h)	Desmodesmus subspicatus	Algae

**12.2 Persistence and degradability:**

Not available

**12.3 Bioaccumulative potential:**

Not available

**12.4 Mobility in soil:**

Identification	Absorption/desorption		Volatility	
Diphenylamine	Koc	Non-applicable	Henry	Non-applicable
CAS: 122-39-4	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 204-539-4	Surface tension	16110 N/m (298,43 °C)	Moist soil	Non-applicable

**12.5 Results of PBT and vPvB assessment:**

Non-applicable

**12.6 Other adverse effects:**

Not described

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

**Type of waste (Regulation (EU) No 1357/2014):**

HP1 Explosive, HP14 Ecotoxic

**Waste management (disposal and evaluation):**

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommend disposal down the drain. See paragraph 6.2.

**Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

**SECTION 14: TRANSPORT INFORMATION**

**Transport of dangerous goods by land:**






With regard to ADR 2015 and RID 2015:





**NC Powder  
N300 and 3N Powder**

**SECTION 14: TRANSPORT INFORMATION (continued)**

		
<b>14.1 UN number:</b>	UN 0161	UN 0509
<b>14.2 UN proper shipping name:</b>	Powder, smokeless	Powder, smokeless
<b>14.3 Transport hazard class(es):</b>	1	1
Labels:	1.3 C	1.4 C
<b>14.4 Packing group:</b>	Non-applicable	Non-applicable
<b>14.5 Dangerous for the environment:</b>	Non-applicable	Non-applicable
<b>14.6 Special precautions for user</b>		
Special regulations:	-	-
Tunnel restriction code:	1 (C5000D)	2 (E)
Physico-Chemical properties:	see section 9	see section 9
Limited quantities:	0	0
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable	Non-applicable
<b>Transport of dangerous goods by sea:</b>		
With regard to IMDG 37-14:		
<b>14.1 UN number:</b>	UN 0161	UN 0509
<b>14.2 UN proper shipping name:</b>	Powder, smokeless	Powder, smokeless
<b>14.3 Transport hazard class(es):</b>	1	1
Labels:	1.3 C	1.4 C
<b>14.4 Packing group:</b>	Non-applicable	Non-applicable
<b>14.5 Dangerous for the environment:</b>	Non-applicable	Non-applicable
<b>Special precautions for user</b>		
Special regulations:	-	-
<b>14.6 EmS Codes:</b>	F-B, S-Y	F-B, S-Y
Physico-Chemical properties:	see section 9	see section 9
Limited quantities:	0	0
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable	Non-applicable
<b>Transport of dangerous goods by air:</b>	<b>PROHIBITED</b>	<b>ALLOWED</b>
With regard to IATA/ICAO 2015:		
<b>14.1 UN number:</b>	UN 0161	UN 0509
<b>14.2 UN proper shipping name:</b>	Non-applicable	Powder, smokeless
<b>14.3 Transport hazard class(es):</b>	Non-applicable	1
Labels:	Non-applicable	1.4 C
<b>14.4 Packing group:</b>	Non-applicable	Packing instructions A 14 (b), PP48
<b>14.5 Dangerous for the environment:</b>	Non-applicable	Non-applicable
<b>14.6 Special precautions for user</b>		
Physico-Chemical properties:	Non-applicable	see section 9
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:</b>	Non-applicable	Non-applicable

- CONTINUED ON NEXT PAGE -





**NC Powder**  
**N300 and 3N Powder** HSR100163

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Active substances for which a decision of non-inclusion onto Annex I (Regulation (EU) No 528/2012): Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains Diphenylamine

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):**

Non-applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

**15.2 Chemical safety assessment:**

The supplier has not carried out evaluation of chemical safety.

**SECTION 16: OTHER INFORMATION**

SW Revision 01.12.2020

**Legislation related to safety data sheets:**

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830)

**Modifications related to the previous security card which concerns the ways of managing risks. :**

Non-applicable

**Texts of the legislative phrases mentioned in section 2:**

H203: Explosive, fire, blast or projection hazard

H412: Harmful to aquatic life with long lasting effects

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) n° 1272/2008:**

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Expl. 1.3: H203 - Explosive, fire, blast or projection hazard

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure

**Classification procedure:**

Aquatic Chronic 3: Calculation method

**Advice related to training:**

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://esis.jrc.ec.europa.eu>

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**



**NC Powder  
N300 and 3N Powder**

**SECTION 16: OTHER INFORMATION (continued)**

- ADR: European agreement concerning the international carriage of dangerous goods by road
- RID: Regulations concerning the international railway transport of dangerous goods
- IMDG: International maritime dangerous goods code
- IATA: International Air Transport Association
- ICAO: International Civil Aviation Organisation
- COD: Chemical Oxygen Demand
- BOD5: 5-day biochemical oxygen demand
- BCF: Bioconcentration factor
- LD50: Lethal Dose 50
- CL50: Lethal Concentration 50
- EC50: Effective concentration 50
- Log-POW: Octanol–water partition coefficient
- Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -