



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

1. PRODUCT IDENTIFICATION

1.1	Product name:	HORNADY® Ammunition Utilizing Monolithic Projectiles		
1.2	Chemical Name	See Section 3 Composition and Ingredients		
1.3	Synonyms	Custom™, Light Mag™, Heavy Mag™, Superformance™, LeverEvolution®, Full Boar™		
1.4	Trade Names	Applies to any Hornady® centerfire rifle or pistol ammunition loaded with GMX® or MonoFlex® bullets		
1.5	Product Use	Firearm Ammunition	NZ DISTRIBUTOR	
1.6	Manufacturer's Name	Hornady Manufacturing Company	Steve's Wholesale Ltd. Units 5	
1.7	Manufacturer's Address	P.O. Box 1848, Grand Island, Ne 68802 USA	- / 408 The Esplanade	
1.8	Business Phone	+1 (308) 382-1390	Island Bay Wellington 6023	
1.9	Emergency Phone	CHEMTREC: +1 (800) 424-9300 / +1 (703) 527-3887	team@steveswholesale.nz	
1.10	Prepared By	K.Hoover	Emergency Contact: Steve Collings	

0800 303 303
0274 905 708
Poison Control 0800 POISON
(0800 764 766)

2. HAZARD IDENTIFICATION

2.1	<p>HAZARD CLASSIFICATION: Skin Sensitization Category 1A.</p> <p>SIGNAL WORD: Warning</p> <p>HAZARD STATEMENTS (H): H204- Fire or projection hazard.</p> <p>PRECAUTIONARY STATEMENTS (P): P210- Keep away from heat- No Smoking</p>	<p>Pictogram</p>						
2.2	<p>Routes of Entry:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Inhalation:</td> <td style="width: 10%; text-align: center;">No</td> <td style="width: 25%;">Absorption:</td> <td style="width: 10%; text-align: center;">No</td> <td style="width: 25%;">Ingestion:</td> <td style="width: 10%; text-align: center;">No</td> </tr> </table>	Inhalation:	No	Absorption:	No	Ingestion:	No	
Inhalation:	No	Absorption:	No	Ingestion:	No			

See Section 16 for Definitions of Terms Used

3. Composition & Ingredients

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR - ppm (mg/m ³)				
					ACGIH		OSHA		
					TLV	STEL	PEL	STEL	IDLH (mg)
Copper	7440-50-8	GL5325000	231-159-6	30-85	1.0	N/A	1.0	N/A	100
Lead	7439-92-1	OF7525000	231-100-4	<0.1	0.05	N/A	0.05	N/A	100
Lead Stypnate	12409-82-6	N/A	N/A	<0.1	0.05	N/A	0.05	N/A	100
Nitrocellulose	9004-70-0	N/A	N/A	5-20	N/A	N/A	N/A	N/A	N/A
Nitroglycerin	55-63-0	QX2100000	N/A	0-2	0.46	N/A	N/A	0.2	75
OTHER COMPONENTS PRESENT IN LESS THAN 1% CONCENTRATION					BAL	THE REMAINING COMPONENTS DO NOT CONTRIBUTE ANY SIGNIFICANT ADDITIONAL HAZARDS			



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

4. FIRST AID

4.1	<p>EYES: Immediately flush out fume or particles with large amounts of water for at least 15 minutes. If irritation develops, call physician.</p> <p>SKIN: Wash affected skin thoroughly with soap and water.</p> <p>INGESTION: If ingested, call physician immediately.</p> <p>INHALATION: If signs of lung irritation occur, remove victim to fresh air immediately. If respiration has stopped administer CPR and get medical attention immediately.</p> <p>MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: Fragments from fired ammunition can cause physical injury. When ammunition is fired or otherwise discharged, dust and/or fumes may be absorbed by the digestive system and can result in both acute and chronic overexposure. Symptoms may include gastrointestinal irritation, nausea, vomiting and diarrhea. High concentrations of dust and/or fumes may irritate throat and respiratory system and cause coughing. Symptoms of chronic exposure to lead include anemia, visual and hearing disturbances, headache, memory loss, fatigue, muscle weakness, tremors, and convulsions. Ingestion of ammunition can cause irritation to the digestive system, and possibly other unknown health effects. A drop in blood pressure, headache, cyanosis and mental confusion may result from nitroglycerin in the product.</p>
4.2	<p>Medical Conditions Aggravated by Exposure: Repeated or prolonged exposure may aggravate and existing dermatitis condition.</p>

5. FIRE & EXPLOSION HAZARDS

5.1	<p>Flashpoint & Method: N/A</p>			
5.2	<p>Autoignition Temperature: 160°C-180°C (320°F- 360°F)</p>			
5.3	<table border="1"><tr><td>Flammability Limits:</td><td>Lower Explosive Limit(LEL):</td><td>Upper Explosive Limit (UEL):</td></tr></table>	Flammability Limits:	Lower Explosive Limit(LEL):	Upper Explosive Limit (UEL):
Flammability Limits:	Lower Explosive Limit(LEL):	Upper Explosive Limit (UEL):		
5.4	<p>Fire & Explosion Hazards: Not considered flammable but may burn at high temperatures. Explosive. The effects are largely confined to the package and no projection fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Do not expose to heat or ignition sources as this could cause an explosion. If heated above 200 °C (392 °F) may explode.</p>			
5.5	<p>Extinguishing Methods: Fight fire with normal precautions from a reasonable distance.</p>			
5.6	<p>Firefighting Procedures: Do not breathe fumes from fires or vapors from decomposition. Exercise caution when fighting any chemical fire. If product is unconfined, there is a greater risk for injury from projectiles. Flood area with water to cool exposed product and extinguish fire.</p>			

6. ACCIDENTAL RELEASE MEASURES

6.1	<p>Spills: Spills will not normally require emergency response. Do not expose product to mechanical shock, electrical shock or impact. Spilled product can be pickup up by any non-spark, non-impact tools/methods. If spill is large or other assistance is required, call 800-338-3220 or CHEMTREC at 800-424-9300. If cartridges are damaged or ruptured be very careful to avoid all sources of ignition.</p>
-----	--

7. STORAGE & HANDLING

7.1	<p>Precautions for Safe Handling: Avoid striking the primer. Ammunition should stay in the manufacturer packaging while transferring. Remove ammunition from service if any of the following conditions have occurred: corrosion, physical damage, exposure to oil or spray type lubricants.</p>
7.2	<p>Storage & Handling: Store in a cool and dry location. Do not expose to excessive heat, flame or other sources of ignition. Avoid mechanical shock and electrical discharge.</p>



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

8. EXPOSURE CONTROL & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: Use proper range filtration and airflow as well as sound deadening material for indoor firing.
8.2	Respiratory Protection: Not normally needed. Unless exposure exceeds established occupational exposure limits, then a NIOSH-approved respirator or self-contained breathing apparatus should be used.
8.3	Eye Protection: Safety glasses.
8.4	Hand Protection: None.
8.5	Body Protection: Wash hands thoroughly after use and before eating, drinking, or using tobacco.
8.6	Hearing Protection: Use adequate hearing protection when using firearms
8.7	Notes: FIRED PROJECTILES MAY CAUSE SERIOUS INJURY OR DEATH. Use ammunition ONLY in firearms that are of the correct caliber and in good condition. ALWAYS keep the muzzle pointed in a safe direction. Projectiles have extremely long range, always be certain to have an adequate backstop. To avoid ricochet, do not fire at water, rocks or other hard or flat surfaces.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	N/A
9.2	Boiling Point:	N/A
9.3	Melting Point:	N/A
9.4	Evaporation Rate:	N/A
9.5	Vapor Pressure @ 20 °C:	N/A
9.6	Molecular Weight:	N/A
9.7	Appearance & Color:	N/A
9.8	Odor Threshold:	N/A
9.9	Solubility:	Insoluble
9.10	pH:	N/A
9.11	Viscosity:	N/A
9.12	Coefficient oil/water Distribution:	N/A
9.13	Additional Information:	N/A

10. STABILITY & REACTIVITY

10.1	Stability: Stable under normal conditions.
10.2	Decomposition Products: carbon monoxide, nitrogen oxides
10.3	Polymerization: Will not occur.
10.4	Conditions to Avoid: Mechanical shock, electrical discharge, extreme heat.
10.5	Incompatible Substance: Acids, caustics, strong oxidizers

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data: LD50 and LC50
------	--



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

	Copper:	LD50 (oral)	1,000mg/m ³	LC50 (inhalation)	>2,000mg/m ³	IDLH	100mg/m ³
	Nitrocellulose	LD50 (oral)	>5g/kg	LC50 (inhalation)	N/A	IDLH	N/A
	Nitroglycerine	LD50 (oral)	1,607mg/kg (rabbit)	LC50 (inhalation)	N/A	IDLH	75mg/m ³
	Zinc	LD50 (oral)	7,950mg/kg (mouse)	LC50 (inhalation)	2,500mg/m ³ (mouse)	IDLH	500mg/m ³
11.2	Acute Toxicity: See section 4						
11.3	Chronic Toxicity: See section 4						
11.4	Suspected Carcinogen: N/A						
11.5	Reproductive Toxicity:						
	Mutagenicity:	This product is not expected to cause mutagenic effects in humans. Mutagenic effects have occurred in experimental animals					
	Embryotoxicity:	This product is not expected to cause embryotoxic effects in humans.					
	Teratogenicity:	This product is not expected to cause teratogenic effects in humans. Teratogenic effects have occurred in experimental animals.					
	Reproductive Toxicity:	This product is not expected to cause reproductive harm in humans.					
11.6	Irritancy of Product: N/A						
11.7	Biological Exposure Indices: N/A						
11.8	Medical Recommendations: Treat symptomatically						
12. ECOLOGICAL INFORMATION							
12.1	Ecological Information: This product has no ecological information available. Individual component information as follows:						
12.2	Copper: Toxic to aquatic species. Concentration required for toxicity varies with water chemistry, light transmittance, and other factors. Generally accepted level for aquatic toxicity is >1.0mg/L						
	Nitrocellulose: LC50>1,000mg/L (aquatic invertebrates, fish, algae)						
	Nitroglycerine: LC50 (96 hour) 1.228mg/L (bluegill)						
	Zinc: Depending on conditions, as little as .13mg/L may be toxic to some species						
13. DISPOSAL CONSIDERATIONS							
13.1	Waste Disposal: Dispose of in accordance with federal & provincial hazardous waste laws. Product that has become waste may be considered hazardous and disposed of accordingly. The user of this product is responsible for seeing that it is disposed of in accordance with all federal, state and local laws. For more information regarding disposal of this product contact the manufacturer.						
13.2	RCRA Hazard Class: D003, depending on condition						
14. TRANSPORTATION INFORMATION							
14.1	49 CFR U.S. Department of Transportation:						
	Proper Shipping Name:	Cartridges, Small Arms					
	Hazard Class:	1.4S					
	ID Number:	UN 0012					



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

	Packing Group:	II
	Label Statement:	None for highway/water/rail; 1.4 placard for individual packages over 1001 lbs.
	Note: Product may be reclassified domestically as ORM-D (through 12/31/2020) for ground transportation; or as hazardous material in Limited Quantities (beginning 1/1/11) if packaged per 49 CFR 173.63. Package may then be marked ORM-D per 49 CFR 172.316; or as Limited Quantities per 49 CFR 172.315.	
14.2	IATA (AIR):	
	Proper Shipping Name:	Cartridges, Small Arms
	Hazard Class:	1.4S
	ID Number:	UN 0012
	Packing Group:	II
	Label Statement:	1.4S Label
14.3	IMGD (OCN):	
	Proper Shipping Name:	Cartridges for Weapons, Inert Projectile
	Hazard Class:	1.4S
	ID Number:	UN 0012
	EmS- No. (Fire):	F-B
	EmS- No. (Spillage):	S-X
	Note: Product may be reclassified as Limited Quantities dangerous goods when packaged and transported in accordance with Chapter 3.4.	
14.4	TDGR (Canadian GND):	
	Proper Shipping Name:	Cartridges, Small Arms
	Hazard Class:	1.4S
	ID Number:	UN 0012
	Packing Group:	II
	Label Statement:	1.4S
14.5	ADR/RID (EU):	
	Proper Shipping Name:	Cartridges, Small Arms
	Hazard Class:	1.4S
	ID Number:	UN 0012
	Packing Group:	II
	Label Statement:	1.4S
	Note: Product may be reclassified as Limited Quantities dangerous goods when packaged and transported in accordance with Chapter 3.4.	
15. REGULATORY INFORMATION HSR100263		
15.1	SARA Reporting Requirements: Nitroglycerin if above threshold	
15.2	SARA Threshold Planning Quantity: N/A	
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status.	
15.4	CERCLA Reportable Quantity (RQ):	
	Copper:	5,000 lbs
	2,4 Dinitroluene	10 lbs
	Nitroglycerin:	10 lbs
	Zinc:	1,000 lbs
15.5	311/312: Release of Pressure	
15.6	California Proposition 65: (Lead)- Warning- This product may contain a chemical known to the State of California to cause cancer or birth defects or other reproductive harm.	



SAFETY DATA SHEET

HORNADY® Ammunition
Utilizing Monolithic Projectiles

Prepared to OSHA GHS Standards

SDS Revision: 1.0

SDS Revision Date: 6/15/2015

15.7	State Regulatory Information:	
	Massachusetts:	Copper, Nitrocellulose, Nitroglycerin, Zinc
	Michigan:	Copper, Zinc
	New Jersey:	Copper, Nitrocellulose, Nitroglycerin, Zinc
15.8	Pennsylvania:	Copper, Nitrocellulose, Nitroglycerin
	67/548/EEC (European Union) and CLP/GHS (1272/2008/EC) Requirements:	
Hazard Classification: Cartridges, Small Arms		
Signal Word Warning		
Hazard Statements (H): H204- Fire or projection hazard.		
Precautionary Statements (P): P210- Keep away from heat/sparks/open flames/hot surfaces- No smoking.		

16. OTHER INFORMATION SW revised 06.01.2021

16.1	Other Information: Hazardous Material Information System (HMIS) Health-1 Fire-0 Reactivity-2 PPE-A
16.2	Disclaimer: This Safety Data Sheet complies with Health Canada's Workplace Hazardous Information System (WHIMS) & U.S. OSHA's Hazard Communication Standard 29 CFR 1910.1200. To the best of Hornady Manufacturing Company's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product. Contact the manufacturer for additional information