

Accurate. Deadly. Dependable.

**MSDS REV. DATE:** 10/1/2014

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

## PRODUCT NAME: Hornady® Shotgun Ammunition

**TRADE NAMES:** SST® Shotgun Slug<sup>™</sup>, SST® Lite<sup>™</sup>, 12 Gauge 00 Buckshot, TAP® FPD<sup>™</sup> Buckshot, Custom Buckshot, Varmint Express® Buckshot, TAP® Light Magnum® 00 Buck, TAP® Reduced Recoil<sup>™</sup> 00 Buck, Heavy Magnum® Turkey, Zombie Max<sup>™</sup>, Heavy Magnum® Coyote, Critical Defense®, American Whitetail® Slugs. **SYNONYMS:** Cartridges, small arms ammunition **BRODUCT CODES:** 8622, 8624, 8627

**PRODUCT CODES:** 8623, 86232, 8624, 86278, 8626, 86240, 86276, 86243, 86275, 86265, 86241, 86242, 86244, 86247, 86222, 86224, 86230, 86238, 86234

ADDRESS: 3625 W. Old Potash Hwy Grand Island, NE 68803 NZ DISTRIBUTOR: Steve's Wholesale Ltd Units 5-7 / 408 The Esplanade Island Bay Wellington 6023 04 383 7351 0800 303 303 team@steveswholesale.nz Emergency Contact: Steve Collings 0274 905 708

EMERGENCY PHONE: 800-338-3220 Steve Collings 0274 9 CHEMTREC PHONE: 800-424-9300 CHEMTREC INTERNATIONAL: +703-527-3887 OTHER CALLS: (308) 382-1390

HEALTH	0	
FLAMMABILITY	1	
REACTIVITY	2	
PERSONAL PROTECTION	Α	-

## PRODUCT USE: Shotgun Ammunition PREPARED BY: M. Spencer

# SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

#### HAZARDOUS INGREDIENTS:

NAME	CAS#	<u>% WT</u>	313?	OSHA PEL-TWA (mg/m <sup>3</sup> )	ACGIH TLV-TWA (mg/m <sup>3</sup> )
Antimony	7440-36-0	.1-2.0	Yes	0.5	0.5
Antimony Sulfide	7440-36-0	0.01-1	Yes	0.5 (as Sb)	0.5 (as Sb)
Barium Nitrate	7440-39-3	0.01-1	Yes	0.5	0.5
Copper	7440-50-8	1-14	Yes	1.0 (Dust	1.0 (Dust)
Dibutyl Phthalate	84-74-2	0.01-1	Yes	5.0	5.0
Lead	7439-92-1	37-75	Yes	0.05	0.05
Lead Styphnate	12403-82-6	0.1-1.0	Yes	0.05 (as Pb)	0.05 (as Pb)
Nickel	7440-02-0	0-5	Yes	1.0	N/A
Nitrocellulose	9004-70-0	5-10	No	N/A	N/A
Nitroglycerin	55-63-0	0.01-2.0	Yes	0.2 (STEL)	0.46 (skin)
Tetracene	109-27-3	0.01-1	No	N/A`́	N/A

### SECTION 2 NOTES:

#### SECTION 3: HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** Do not take internally. Keep away from sources of ignition. Explosive. Avoid subjecting product to physical shock/ impact. Byproducts of use may be harmful if inhaled. Avoid long-term contact between exposed lead and skin/ clothing.

**ROUTES OF ENTRY:** Inhalation, ingestion, eyes

### POTENTIAL HEALTH EFFECTS

**EYES:** Use of product may result in airborne particles/fragments. Particles/fragments may cause irritation or eye injury if safety glasses are not used.

SKIN: Minimal irritation. Wash hands after use and before eating, drinking or smoking to reduce chances of ingestion.

**INGESTION:** Ingestion of lead dust or fume can eventually lead to damage to central and peripheral nerves, blood and kidneys. It may also cause damage to male reproductive system and, in females, to the unborn fetus. Damage to nerves can cause reduced motor nerve and muscle function. May cause anemia. Lead has been identified as an animal carcinogen and may produce cancer in humans.

INHALATION: Inhalation of lead dust/fume may lead to the effects described above (Ingestion), as well as respiratory irritation.

MATERIAL SAFETY DATA SHEET



**MSDS REV. DATE:** 10/1/2014

**ACUTE HEALTH HAZARDS:** Lead Ingestion/Inhalation may cause irritation to nose, throat, upper respiratory tract and lungs. The irritant effects may lead to bronchitis, headache, fall in blood pressure, weakness, convulsions, and collapse. Severe poisoning may impair vision by damaging the optic nerve. Particulates from firing: Eye irritation or injury, skin irritation.

**CHRONIC HEALTH HAZARDS**: Ingestion or inhalation of lead may have effects on the blood, bone marrow, central nervous system, peripheral nervous system and kidneys, resulting in anemia, encephalopathy (e.g., convulsions), peripheral nerve disease, abdominal cramps and kidney impairment. Causes toxicity to human reproduction or development.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Respiratory conditions easily aggravated by airborne dust or particulates.

#### CARCINOGENICITY

OSHA: No IARC: Possible (group 2b) (lead) OTHER: EPA: Probable human carcinogen

**SECTION 3 NOTES:** The physical form of these products makes it unlikely that exposure of any significant amount will occur. Exposure is very unlikely during normal handling. Firing shotshells will produce small particles that could contain minute amounts of the chemicals listed in section 1. Greatest exposure will occur if firing takes place indoors. See section 8 for exposure controls.

### SECTION 4: FIRST AID MEASURES

EYES: Immediately flush out fume or particles with large amounts of water for at least 15 minutes. If irritation develops, call physician.

SKIN: Wash affected skin thoroughly with soap and water.

**INGESTION:** If ingested, call physician immediately.

**INHALATION:** If signs of lung irritation occur, remove victim to fresh air immediately. If respiration has stopped, administer CPR and get medical attention immediately.

## SECTION 4 NOTES:

## SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: N/A (% BY VOLUME) LOWER: N/A

FLASH POINT: F: N/A C: N/A METHOD USED: N/A

AUTOIGNITION TEMPERATURE:

**F**: N/A **C**: N/A

HMIS HAZARD CLASSIFICATION HEALTH: 0 FLAMMABILITY: 2 OTHER:

Physical: 2

**EXTINGUISHING MEDIA:** Water preferably, otherwise carbon dioxide or dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Flood area with water to cool exposed product. If product ignites, withdraw and allow to burn.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Minor explosive threat. Low velocity projectiles. Use normal fire fighting equipment including face shield and SCBA.



**MSDS REV. DATE:** 10/1/2014

HAZARDOUS DECOMPOSITION PRODUCTS: Lead oxides, lead dust or fume, carbon monoxide, nitrogen oxides.

### SECTION 5 NOTES:

## SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Spills will not normally require emergency response. Do not expose product to mechanical shock or impact. Spilled product can be pickup up by any non-spark, non-impact tools/methods. If spill is large or other assistance is required, call 800-338-3220 or CHEMTREC at 800-424-9300.

SECTION 6 NOTES: If contents of shotshells are exposed, be very careful to avoid all sources of ignition.

#### SECTION 7: HANDLING AND STORAGE

**HANDLING AND STORAGE:** Store in a cool, dry location. Do not expose to excessive heat, flame or other sources of ignition. Avoid mechanical shock and electrical discharge. Refer to section 5 for additional information on firefighting and section 10 for reactivity information.

### SECTION 7 NOTES:

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use of proper range filtration and airflow as well as sound deadening material for indoor use.

**VENTILATION:** Use mechanical ventilation if product is utilized indoors to maintain exposures below PEL. Ventilation should not be required outdoors.

**RESPIRATORY PROTECTION:** Not normally needed.

EYE PROTECTION: Safety glasses

SKIN PROTECTION: Not normally needed

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Use adequate hearing protection when firing cartridges.

WORK HYGIENIC PRACTICES: Wash hands thoroughly after use and before eating, drinking or using tobacco.

#### SECTION 8 NOTES:

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Plastic hull with brass-plated steel base.

ODOR: None

PHYSICAL STATE: Solid

pH AS SUPPLIED: N/A pH (Other): N/A BOILING POINT: N/A MELTING POINT: N/A FREEZING POINT: N/A VAPOR PRESSURE (mmHg): N/A VAPOR DENSITY (AIR = 1): N/A SPECIFIC GRAVITY (H2O = 1): N/A EVAPORATION RATE: N/A



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (cont'd)

SOLUBILITY IN WATER: Insoluble

PERCENT SOLIDS BY WEIGHT: 100%

PERCENT VOLATILE: N/A VOLATILE ORGANIC COMPOUNDS (VOC): N/A MOLECULAR WEIGHT: N/A, Mixture VISCOSITY: N/A SECTION 9 NOTES:

# SECTION 10: STABILITY AND REACTIVITY

**STABILITY:** Stable under normal conditions.

CONDITIONS TO AVOID (STABILITY): Mechanical shock, electrical discharge, extreme heat.

**INCOMPATIBILITY (MATERIAL TO AVOID):** Acids, class A and B explosives, caustics, strong oxidizers.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Lead oxides, lead fume, lead dust, carbon monoxide, nitrogen oxides.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 10 NOTES:

## SECTION 11: TOXICOLOGICAL INFORMATION

## TOXICOLOGICAL INFORMATION:

	Lead	Antimony	Barium	Copper	Nitrocellulose	Nitroglycerine	Dibutyl Phthalate
LD-50 (oral)	N/A	7 g/Kg (rat)	187 mg/Kg (rat)	1,000 mg/m <sup>3</sup>	>5 g/kg	1607 mg/Kg (rabbit)	8,000 mg/kg (rat)
LC-50 (inhalation)	N/A	N/A	N/A	>2,000 mg/m <sup>3</sup>	N/A	N/A	4,250 mg/m <sup>3</sup> (rat)
IDLH	100 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>	100 mg/m <sup>3</sup>	N/A	75 mg/m <sup>3</sup>	4,000 mg/m <sup>3</sup>

SECTION 11 NOTES: Under conditions of intended use and expected incidental exposure, greatest potential toxicity is from lead.

## SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: This product has no ecological information available. Individual component information is as follows: Lead: Toxic to waterfowl, high concentrations may be toxic to other aquatic species. Lead may migrate through soil and surface/ground water. Lead will accumulate in the environment through decomposition or fragmentation of projectile. Will not biodegrade.

**Copper**: Toxic to aquatic species. Concentration required for toxicity varies with water chemistry, light transmittance and other factors. Generally accepted level for aquatic toxicity is >1.0mg/L. **Nitrocellulose**: LC-50>1,000 mg/L (aquatic invertebrates, fish, algae)

Nitrocenulose. LC-50>1,000 mg/L (aqualic invertebrates, iish,

Nitroglycerine: LC-50 (96 hour) 1.228 mg/L (bluegill)

## SECTION 12 NOTES:



# SECTION 13: DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL METHOD:** Product that has become waste must be considered hazardous and disposed of accordingly. The user of this product is responsible for seeing that it is disposed of in accordance with all federal, state and local laws. For more information regarding disposal of this product contact the manufacturer.

RCRA HAZARD CLASS: D003, D008, depending on condition.

#### SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME: Cartridges, Small Arms HAZARD CLASS: 1.4 S ID NUMBER: UN 0012 PACKING GROUP: II LABEL STATEMENT: None for highway/ water/ rail; 1.4 placard for individual packages over 1001 lbs.

AIR TRANSPORTATION PROPER SHIPPING NAME: Cartridges, Small Arms HAZARD CLASS: 1.4S ID NUMBER: UN 0012 PACKING GROUP: II LABEL STATEMENTS: 1.4S label

**SECTION 14 NOTES:** Product may be reclassified domestically as ORM-D (through 12/31/2013) or as hazardous material in Limited Quantities (beginning 1/1/11) if packaged per 49 CFR 173.63. Package may then be marked ORM-D per 49 CFR 172.316; or as Limited Quantities per 49 CFR 172.315.

SECTION 15: REGULATORY INFORMATION	HSR100263	

## U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): Components are listed on the Toxic Substances Control Act Inventory.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** CERCLA RQ's: Lead= 10 lbs., Copper= 5,000 lbs., Antimony= 5,000 lbs., Dibutyl Phthalate= 10 lbs., Nickel= 100 lbs., Nitroglycerin= 10 lbs. Reporting is not required for metals (lead, copper, antimony, nickel) if the mean diameter of the particle is greater than .004 inches.

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): Dibutyl phthalate, nitroglycerin if above threshold.

311/312 HAZARD CATEGORIES: No extremely hazardous substances

#### 313 REPORTABLE INGREDIENTS: see section 1

#### STATE REGULATIONS:

New Jersey: Copper, Lead, Nitrocellulose, Nitroglycerin, Dibutyl phthalate, Antimony Pennsylvania: Copper, Lead, Nitrocellulose, Nitroglycerin, Dibutyl phthalate, Antimony, Massachusetts: Copper, Lead, Nitrocellulose, Nitroglycerin, Dibutyl phthalate, Antimony Michigan: Copper, Lead, Dibutyl phthalate, Antimony

## CA. PROPOSITION 65: Lead, Lead styphnate

SECTION 15 NOTES: Not intended to be all-inclusive, only selected regulations represented.

## SECTION 16: OTHER INFORMATION

SW Revised 01.02.2020

**DISCLAIMER:** Hornady Manufacturing Company believes the information contained in this MSDS to be accurate and complete as of the date of publication, however no responsibility is assumed for the suitability of this data to the end user or for omissions or errors in its content. This sheet should be provided to all who use, handle, transport or store the material in question.